

Website: contoureducation.com.au | Phone: 1800 888 300 Email: hello@contoureducation.com.au

VCE Biology ¾
Nucleic Acids & The Structure of Genes [0.2]
Workshop



Section A: Multiple Choice Questions (15 Marks)

Question 1 (1 mark)

Which of the following is unique to RNA but not DNA?

- A. Contains thymine as a nitrogenous base.
- **B.** Is double-stranded.
- C. Contains ribose sugar instead of deoxyribose.
- **D.** Functions exclusively in the nucleus.

Question 2 (1 mark)

Which type of nucleic acid is most likely to contain uracil?

- A. DNA
- B. mRNA
- C. tRNA
- **D.** Both b and c.

Question 3 (1 mark)

Which one of the following correctly matches the nucleic acid molecule with its role?

	Molecule	Role
A.	DNA	Carries genetic information to ribosomes.
В.	tRNA	Carries amino acids to ribosomes.
C.	mRNA	Structural component of ribosomes.
D.	rRNA	Contains genetic information that is transcribed.




Question 4 (1 mark)

Which of the following statements concerning DNA and RNA is incorrect?

- **A.** DNA is double-stranded; RNA is single-stranded.
- **B.** DNA contains adenine, thymine, cytosine and guanine bases; RNA contains adenine, uracil, cytosine and guanine bases.
- **C.** In eukaryotic cells, DNA is found in the nucleus; RNA is also found in the nucleus.
- **D.** DNA contains ribose sugar; RNA contains deoxyribose sugar.

Question 5 (1 mark)

The molecule shown below is extracted from the cytosol of a cell.



Source: http://userscontent2.emaze.com

If a chemical analysis was done on this molecule, you would expect to see:

- **A.** Phosphate groups and thymine.
- **B.** Phospholipid groups and guanine.
- C. Phosphate groups and uracil.
- **D.** Phospholipid groups and adenine.



Question 6 (1 mark)

The nucleotide sequence A G U G A C A A could represent:

- **A.** Part of the DNA template of a particular gene.
- **B.** The amino acid chain of a polypeptide.
- C. A sequence of mRNA.
- **D.** A section of double helix.

Question 7 (1 mark)

Unlike RNA, DNA has:

- A. A uracil base.
- **B.** A sugar called ribose.
- **C.** Two strands of nucleotides.
- **D.** A phosphate group in its nucleotides.

Question 8 (1 mark)

Redundancy in the DNA code means that:

- **A.** The amino acid valine has four possible codons.
- **B.** The amino acids methionine and isoleucine are both coded for by AUG.
- **C.** Uracil replaces thymine in the translated nucleic acid.
- **D.** Each tRNA molecule can carry any amino acid.





Question 9 (1 mark)

A canola crop had a gene coding for an omega-3 fatty acid, derived from bacteria, inserted into its genome. Individuals who ate the canola gained the benefit of increased omega-3 fatty acids, such as healthier membranes. The characteristic of DNA that allowed this to occur is that the DNA code is:

- A. Universal
- B. Redundant
- C. Degenerate
- D. Transferable

Question 10 (1 mark)

A student observed a diagram of single-stranded nucleic acid and determined that it was DNA. A piece of evidence that would support this is the presence of:

- A. Uracil.
- **B.** A deoxyribose sugar.
- C. A methyl cap and a poly A tail.
- **D.** Anticodons.

Question 11 (1 mark)

Which one of the following correctly compares DNA and RNA?

	DNA	RNA
Α.	Contains deoxyribose.	Contains ribose.
В.	Is a shorter molecule.	Is a longer molecule.
C.	Found only in the nucleus in eukaryotes.	Found in the nucleus and a variety of cytoplasmic locations in eukaryotes.
D.	Contains four different monomers.	Contains five different monomers.



Question 12 (1 mark)

The diagram below shows the structure of a nucleotide, which is the sub-unit of a nucleic acid.

Which one of the following statements is correct?

- **A.** All nucleotides are chemically identical.
- **B.** This nucleotide could contain the amino acid thymine.
- C. The nucleotide shown in the diagram can only be found in DNA.
- **D.** Adjacent nucleotides are joined together as a result of a condensation reaction.

Space for I	Personal	Notes
-------------	----------	-------



Question 13 (1 mark)

In the United States of America (USA), genetic screening of newborn babies is conducted for around 60 conditions. In the United Kingdom (UK), nine conditions are screened for and in the state of Victoria in Australia, 25 conditions are screened for. The table below provides data on the most frequent genetic conditions identified from screening newborn babies in the USA, the UK and Victoria, Australia.

Genetic Condition	Incidence (No. of babies born with a condition: Total no. of babies born)							
Genetic Condition	USA	UK	Victoria, Australia					
Phenylketonuria (PKU)	1: 10000 - 15000	1: 10000	1: 12000					
Galactosaemia	1: 30000 - 60000	Not screened	Not screened					
Primary congenital hypothyroidism (CH)	1: 2000 - 4000	1:3000	1: 2200					
Sickle-cell disease (SCD)	1:500 African Americans	1:2000	Not screened					
Congenital adrenal hyperplasia (CAH)	1: 15000	Not screened	Not screened					
Cystic fibrosis (CFTR)	1: 2500 - 3500 Caucasians	1:2500	1:3300					

Data: Genetics Home Reference, https://ghr.nlm.nih.gov; National Health Service, www.nhs.uk/pages/home.aspx; Victorian Clinical Genetics Services, www.vcgs.org.au

From this information, it can be concluded that:

- **A.** CAH is not present in Australian newborn babies.
- **B.** The frequency of PKU and CFTR has risen in all countries of the world.
- C. The most frequent genetic condition that affects Victorian newborn babies is CH.
- **D.** Cystic fibrosis in newborn babies is more prevalent in Victoria than in the UK.

Cn	200	for	Darco	nall	Notes
נונ	a -	11111	PHIN	וואווו	M() E/



Question 14 (1 mark)

A portion of a DNA molecule has the following base sequence:


-ATCTTAGGCCAT -

Which one of the following would be the complementary mRNA strand?

- A. UAGAATCCGGUA
- B. TAGAATCCGGTA
- C. UAGAAUCCGGUA
- D. UACAUUCCGGUA

Question 15 (1 mark)

The diagram below shows a small segment of the structure of an organic macromolecule.




Which of the following statements correctly identifies what occurs when this segment is joined to other similar structures?

- **A.** The reaction is catabolic.
- **B.** A net output of energy occurs.
- C. A condensation reaction would occur.
- **D.** An input of water is required for this reaction to occur.



Section B: Warm Up Questions (20 Marks)

Qu	estion 16 (4 marks)
a.	In the space below, draw and label the structure of both an RNA nucleotide and a DNA nucleotide. (2 marks)
b.	Name two different types of nucleic acids and describe two differences between them. (2 marks)
Sn	pace for Personal Notes






Describe what is meant by "degenerate" in reference to the genetic code, and explain its significance.
Overetion 18 (2 montes)
Question 18 (2 marks)
Explain what feature of the genetic code makes it possible for viruses to infect cells.
Question 19 (2 marks)
Describe the difference in the function of mRNA and rRNA.



Question 20 (2 mark	ks)
	t to visualise organic molecules under microscopes and in cultures, by adding a fluorescent specific features of a molecule.
Explain how a scient	tist could make a dye tag to DNA only and not RNA.
Question 21 (2 marl	ks)
Explain why the gen	etic code could not be a 'doublet' code.
	·
Space for Persona	I Notos
Space for reisona	i Notes






escribe the st levance.	ructure of genes, referencing the key binding sites and regions in your answer and explain the	ir
		_
		_
		_
		_
		_
		_
oace for Per	rsonal Notes	



Section C: Exam Style Questions (30 Marks)

Question 23 (8 marks)



a. List the full name of the molecule in the diagram above. (1 mark)

b. Identify the labels X and Y. (2 marks)

c. In reference to this molecule, explain the meaning of the term 'anti-parallel'. (2 marks)



VCE Biology ¾ Questions? Message +61 440 137 387

d.	Identify three places in a plant cell where this molecule can be located. (3 marks)
Sp	ace for Personal Notes



Question 24 (4 marks)

The table below represents a small section of a DNA template sequence that is about to be transcribed.

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
A	G	T	C	C	G	T	A	G	С	T	G	A	A	T	C	C	G	G	T	T	G

Draw a diagram of the DNA molecule that includes the first four nucleotides from the table.

On your diagram, label the:

- **G** Phosphate, nitrogenous base and deoxyribose of the DNA molecule.
- Hydrogen bond(s).


Space for Personal Notes

15



Question 25 (4 marks)

a. Identify which of the following molecules (A, B or C) could represent a molecule of tRNA. (1 mark)



b. Identify the function of the two different forms of RNA below. (2 marks)

mRNA_____

c. Describe what is meant by the term 'universal genetic code'. (1 mark)



Question 26 (6 marks)									
The sequence of the first part of an exon in a piece of pre-mRNA has the following sequence:									
AUGCUCAUCGAGCCG									
The pre-mRNA molecule will be modified to produce mRNA, which will then be translated to produce a polypeptide known as protein X .									
a. Explain the difference between an exon and an intron. (1 mark)									
b. Give one difference between the structures of (i) DNA and mRNA, and (ii) mRNA and tRNA. (2 marks)									
c. When the exons are spliced together, adjacent nucleotides need to be joined in the mRNA molecule. Name the type of reaction that joins these adjacent nucleotides. (1 mark)									



d. A company wishes to patent the sequence of DNA that codes for the production of protein *X* but they need to change the sequence of the exon to do so.

As previously supplied, the sequence of the pre-mRNA is:

AUGCUCAUCGAGCCG

Explain the feature of the genetic code that would enable the company to do this. Identify one alteration that could be made to the sequence of the pre-mRNA that would not affect the structure of the protein. Use the codon table below to assist in answering this question. (2 marks)

	U		C		Α		G		
U	UUU	Phenylalanine	UCU	Serine	UAU	Tyrosine	UGU	Cysteine	U
	UUC	Phenylalanine	UCC	Serine	UAC	Tyrosine	UGC	Cysteine	C
	UUA	Leucine	UCA	Serine	UAA	Stop	UGA	Stop	A
	UUG	Leucine	UCG	Serine	UAG	Stop	UGG	Tryptophan	G
С	CUU	Leucine	CCU	Proline	CAU	Histidine	CGU	Arginine	U
	CUC	Leucine	CCC	Proline	CAC	Histidine	CGC	Arginine	C
	CUA	Leucine	CCA	Proline	CAA	Glutamine	CGA	Arginine	Α
	CUG	Leucine	CCG	Proline	CAG	Glutamine	CGG	Arginine	G
А	AUU	Isoleucine	ACU	Threonine	AAU	Asparagine	AGU	Serine	U
	AUC	Isoleucine	ACC	Threonine	AAC	Asparagine	AGC	Serine	C
	AUA	Isoleucine	ACA	Threonine	AAA	Lysine	AGA	Arginine	A
	AUG	Methionine (Start)	ACG	Threonine	AAG	Lysine	AGG	Arginine	G
G	GUU	Valine	GCU	Alanine	GAU	Aspartic Acid	GGU	Glycine	U
	GUC	Valine	GCC	Alanine	GAC	Aspartic Acid	GGC	Glycine	C
	GUA	Valine	GCA	Alanine	GAA	Glutamic Acid	GGA	Glycine	A
	GUG	Valine	GCG	Alanine	GAG	Glutamic Acid	GGG	Glycine	G.




Question 27 (2 marks) An organism has a template DNA strand sequence of bases: TATATACGGCGATGACTCATAGG a. Write the complementary mRNA sequence to this strand. (1 mark) b. How many amino acids does this code for? (1 mark) Space for Personal Notes								
TATATACGGGCGATGACTCATAGG a. Write the complementary mRNA sequence to this strand. (1 mark)	Qu	Question 27 (2 marks)						
a. Write the complementary mRNA sequence to this strand. (1 mark) b. How many amino acids does this code for? (1 mark)	An organism has a template DNA strand sequence of bases:							
b. How many amino acids does this code for? (1 mark)		TATATACGGGCGATGACTCATAGG						
b. How many amino acids does this code for? (1 mark)	a.	Write the complementary mRNA sequence to this strand. (1 mark)						
Space for Personal Notes	b.	How many amino acids does this code for? (1 mark)						
Space for Personal Notes								
Space for Personal Notes								
Space for Personal Notes								
	Sp	pace for Personal Notes						




Question 28 (3 marks)

Fang blennies (*Meiacanthus grammistes*) are little fish that have large fangs capable of delivering venom to their victims. The venom is made up of a number of substances, including an opioid peptide. It is thought that when the fang blennies bite the 'would-be' predator the opioid causes a drop in blood pressure. This would then disorientate and slow the predator down, giving the fang blennies a chance to escape. It could also relax the jaws and allow them to escape.



Source: https://s-media-cache-ako.pinimg.com

Nucleic acids found in the cells of the fang blennies are needed for the synthesis of the opioid proteins found in the cells of the blennies.





Questic	29 (3 marks)					
How is DNA oriented? Explain and describe its importance to DNA's function.						
Space	r Personal Notes					



Website: contoureducation.com.au | Phone: 1800 888 300 | Email: hello@contoureducation.com.au

VCE Biology ¾

Free 1-on-1 Support

Be Sure to Make The Most of These (Free) Services!

- Experienced Contour tutors (45+ raw scores, 99+ ATARs).
- For fully enrolled Contour students with up-to-date fees.
- After school weekdays and all-day weekends.

1-on-1 Video Consults	Text-Based Support
 Book via bit.ly/contour-biology-consult-2025 (or QR code below). One active booking at a time (must attend before booking the next). 	 Message +61 440 137 387 with questions. Save the contact as "Contour Biology".

Booking Link for Consults
bit.ly/contour-biology-consult-2025



Number for Text-Based Support +61 440 137 387

