

Website: contoureducation.com.au | Phone: 1800 888 300 Email: hello@contoureducation.com.au

VCE Biology ¾
AOS 1 Revision [1.0]
SAC 10 (JMSS)

33 Marks. 5 Minutes Reading. 45 Minutes Writing.



Section A: SAC Questions (33 Marks)

Question 1 (10 marks)

Use of DNA Technology in the Production of Human Insulin in Cow's Milk:

Recently, scientists genetically altered a brown bovine cow to produce human insulin in its milk. Insulin plays a crucial role in regulating blood sugar levels, and its function is to move glucose from the bloodstream into cells for energy. People with diabetes often require insulin, but it is expensive and not always accessible. Using DNA technology, researchers are exploring how to increase insulin production so that it can be more readily available to those who need it.

In order to express human insulin in bovine milk, researchers first constructed a recombinant plasmid, pREC, which contains the human insulin (hINS) gene placed downstream of the bovine β -casein 5 gene promoter (**Figure 1**). Casein is a protein found specifically in mammalian milk. The plasmid pREC also contains several restriction enzyme recognition sites (**Figure 1**) and the blasticidinR and ampR genes (**Table 1**).




Figure 1: Map of the recombinant plasmid, pREC, which is 12,783 base pairs (bp) in length and was introduced into a transgenic cow. Restriction sites for the endonucleases ClaI, BamHI, and XhoI, along with their positions on the map, are shown. The restriction sites have different recognition sites and produce sticky ends on cut DNA.

DNA Region	Function
hINS	Human insulin gene (with 3 exons and 2 introns)
pβcas5	Bovine β -casein 5 promoter
BlasticidinR	Gene conferring resistance to blasticidin (antibiotic)
AmpR	Gene conferring resistance to ampicillin (antibiotic)

Table 1: Functions of Selected DNA Regions Found in pREC



a. What is the purpose of PCR? (1 mark)							
. De	scribe how PCR works	s. (4 marks)					
	Name of Step	Temperature (°C)	Description of the Purpose for This Step				
_							
	The two separate reaction tubes (for making multiple copies of hINS and p β cas5, respectively) contain essential ingredients (including chemicals and/or molecules). Light density two common components that are found in BOTH tubes. (2 marks)						
	sential ingredients (incl						
ess	sential ingredients (incl						
i.	Identify two commor	n components that are fou		narl			
i.	Identify two commor	n components that are fou	and in BOTH tubes. (2 marks)	 narl			



Question 2 (7 marks)

To verify that pREC is correctly constructed, researchers digested pREC plasmid DNA with the restriction endonucleases ClaI, BamHI, and XhoI. The digested plasmid DNA was separated by gel electrophoresis, and three fragments (X, Y, X) and (X, Y, X) were observed (**Figure 2**).




Figure 2: Gel Electrophoresis of pREC plasmid DNA digested with ClaI, BamHI, and XhoI (Lane D). Lane L contains a DNA ladder with the indicated fragment sizes.

Note: 1 kb = 1000 bp.

- **a.** Identify the DNA fragment (**X**, **Y**, **or Z**) that contains:
 - i. Human insulin (hINS) gene: (1 mark)

ii. p β cas5 promoter: (1 mark)



VCE Biology ¾ Questions? Message +61 440 137 387

their sizes.	(3 marks)						
After conf	irming that pRI	EC was corre	ectly constru	ıcted, resear	chers introdu	ced pREC into	bacterial cel
Describe h	ow bacterial cel blasmid. (2 mar	lls that were t					



Question 3 (5 marks)

Milk is produced by the mammary glands in mammals. To produce human insulin in cows' milk, scientists genetically modified bovine mammary cells so that they contained a copy of pREC. Nuclear DNA from these cells was transferred into embryos. The embryos were implanted into surrogate cows. A transgenic calf was born (**Figure 3**), and upon maturity, scientists detected human insulin in its milk.




Figure 3. Transgenic bovine calf genetically modified to produce human insulin.

b.	only expressed in pancreatic cells. With reference to the structure of pREC (Figure 1) and its component				
	(Table 1), explain the key components of pREC that enable the transgenic cow's mammary cells to produce				
	(Table 1), explain the key components of pREC that enable the transgenic cow's mammary cells to produce				



Question 4 (7 marks)			
Transcription of the human insulin gene in transgenic bovine cells begins in the nucleus (refer to Figure (1) and Table (1)). Insulin protein synthesis is initiated by translating insulin mRNA in the cytoplasm to produce the polypeptide called preproinsulin.			
a.	Before the export of insulin mRNA into the cytoplasm, describe the modifications that occur in the nucleus. (3 marks)		
b.	Identify the organelle where translation occurs. (1 mark)		



VCE Biology ¾ Questions? Message +61 440 137 387

c.	Preproinsulin undergoes post-translational modifications and is converted into proinsulin. Proinsulin is eventually secreted out of the cell.		
i. Identify the organelle in which preproinsulin is converted to proinsulin. (1 mark)		Identify the organelle in which preproinsulin is converted to proinsulin. (1 mark)	
	ii.	Identify the structure in which proinsulin is transported within the cell. (1 mark)	
iii. Identify the process by which proinsulin is secreted out of the cell. (1 ma		Identify the process by which proinsulin is secreted out of the cell. (1 mark)	



Question 5 (4 marks)

The scientific community has raised several ethical issues related to the use of transgenic cows to produce human insulin. For each comment raised below, indicate ONE ethical concept that best describes the type of implication/issue. Each concept may only be used ONCE.

Comments and Questions Raised by Individuals	Ethical Concept
With regard to mass-producing insulin in milk, there is a need for specialised, expensive high-health-status facilities for the production of insulin.	
Genetic engineering has so much potential for significant advancements in how we understand, diagnose, and treat diseases. This study highlights the promise this field has in applications for improving human health.	
Producing insulin in bacteria (e.g., E. coli) and yeast is more humane and does not require the use of embryos or transgenic animals.	
We need to stop exploiting animals. Leave the cows and their bodies alone!	

Space for Personal Notes

CONTOUREDUCATION

Website: contoureducation.com.au | Phone: 1800 888 300 | Email: hello@contoureducation.com.au

VCE Biology ¾

Free 1-on-1 Support

Be Sure to Make The Most of These (Free) Services!

- Experienced Contour tutors (45+ raw scores, 99+ ATARs).
- For fully enrolled Contour students with up-to-date fees.
- After school weekdays and all-day weekends.

<u>1-on-1 Video Consults</u>	<u>Text-Based Support</u>
 Book via bit.ly/contour-biology-consult-2025 (or QR code below). One active booking at a time (must attend before booking the next). 	 Message <u>+61 440 137 387</u> with questions. Save the contact as "Contour Biology".

Booking Link for Consults
bit.ly/contour-biology-consult-2025



Number for Text-Based Support +61 440 137 387

