

Website: contoureducation.com.au | Phone: 1800 888 300

Email: hello@contoureducation.com.au

VCE Chemistry ¾
Energy Calculations & Delta H [1.2]

Test

Results:

Test	/15
Extension	/5





Section A: Test (15 Marks)

INSTRUCTION: 15 Marks. 1 Minutes Reading. 12 Minutes Writing.



Question 1 (4 marks)

Tick whether the following statements are true or false.

		True	False
		True	raise
a.	Ethanol releases more energy per gram than hydrogen.		
b.	As the carbon chain length increases, the molar enthalpy of combustion also typically increases.		
c.	Blended fuels' ΔH values may be determined in kJ/mol directly using the information provided in Item 14 of the databook.		
d.	Petrol's density is $0.756 \ g/mL$, based on the information in Item 14 of the databook.		
e.	The heat of combustion of ethanol from Item 13 of the databook compared with that of bioethanol from Item 15 is significantly different.		
f. Using a spirit burner to determine the heat of combustion of a fuel is typically accurate.			
g.	If a question provides a fuel's ΔH , and this fuel's enthalpy can also be found in the databook, the databook's one must be used as it is more accurate.		
h.	The reaction, $2H_2O \rightarrow 2H_2 + O_2$ has a $\Delta H = +572 \text{ kJ}$.		

S	pace	for	Persona	l Notes
_		. • .		




A sample of propane is combusted in excess oxygen at standard conditions.			
	Write a balanced thermochemical equation for this reaction. (1 mark)		
•	If 5.70 <i>MJ</i> of energy is released by this reaction, find the mass of propane used, in <i>g</i> . (2 marks)		
•	Suppose the propane was instead burnt at 100° C, at which its heat of combustion is approximately -2352 kJ/mol. How much less propane would be needed (in g) at this new temperature compared to in part b. to release the same amount of energy, 5.70 MJ? (2 marks)		
Space for Personal Notes			



Question 3 (1 mark)

Which of the following options is the correct amount of fuel burnt (in mol) given 489 kJ of heat was released, and the energy profile diagram for the reaction is as follows?




- **A.** 3.03.
- **B.** 8.15.
- **C.** 24.5.
- **D.** 2.22.

Space for Personal Notes



Question 4 (5 marks)

The following set-up was observed in a high-school laboratory in which students aimed to determine the molar heat of combustion of butan-1-ol ($Mr = 74.0 \ g/mol$):



The students used the data they obtained (depicted in the table below) to perform their calculations.

You may use the information in this table in any part of the question.

Initial mass of spirit burner (g)	Final mass of spirit burner (g)	Initial temperature of the beaker (°C)	Final temperature of the beaker (°C)	Volume of water in the beaker
50.4	47.9	25.0	38.5	300 mL



VCE Chemistry ¾ Questions? Message +61 440 137 304

c. State one assumption that was made during the calculations performed in part b. (1 mark)		
_		
Sp	ace for Personal Notes	
ı		



Section B: Extension (5 Marks)

INSTRUCTION: 5 Marks. Y Minutes Reading. Z Minutes Writing.





Website: contoureducation.com.au | Phone: 1800 888 300 | Email: hello@contoureducation.com.au

VCE Chemistry ¾

Free 1-on-1 Support

Be Sure to Make The Most of These (Free) Services!

- Experienced Contour tutors (45+ raw scores, 99+ ATARs).
- For fully enrolled Contour students with up-to-date fees.
- After school weekdays and all-day weekends.

1-on-1 Video Consults	<u>Text-Based Support</u>
 Book via bit.ly/contour-chemistry-consult- 2025 (or QR code below). One active booking at a time (must attend before booking the next). 	 Message <u>+61 440 137 304</u> with questions. Save the contact as "Contour Chemistry".

Booking Link for Consults
bit.ly/contour-chemistry-consult-2025



Number for Text-Based Support +61 440 137 304

