

Website: contoureducation.com.au | Phone: 1800 888 300 Email: hello@contoureducation.com.au

VCE Chemistry ¾
Introduction to Electrolysis [2.1]
Test

20 Marks. 1 Minute Reading. 17 Minutes Writing

Results:

Test Questions	/ 15
Extension	/5





Section A: Test Questions (15 Marks)

Question 1 (3 marks)

State whether the following statements are true or false by placing a tick in the appropriate box.


Statement			False
a.	An electrolytic cell is characterised by the input of electrical energy.		
b.	The reactants are stored in the same beaker during electrolysis to ensure a direct, spontaneous reaction.		
c.	The electrodes must be inert in an electrolytic cell.		
d.	Water is often a reactant during electrolytic reactions.		
е.	In electrolysis, we no longer need to worry about the strongest oxidant present reacting with the strongest reductant present.		
f.	If an electrolytic cell were to be constructed with inert electrodes placed into a solution of SnCl ₄ , there would be a pH decrease around the positive electrode.		

Space	for	Personal	Notes
Space	101	i ci sonai	140162



Question 2 (6 marks)

Shriya is investigating the electrolysis of Iron (II) nitrate:



a.

- i. Label the polarity of the left electrode by placing either a + or sign in the circle provided on the diagram. (1 mark)
- ii. Label the right electrode as either the anode or cathode in the box provided. (1 mark)

b.


- i. Write the appropriate oxidation half-equation. (1 mark)
- ii. Hence or otherwise, calculate the EMF needed to be input in order to get this cell to operate. (1 mark)

- **c.** List three things that would be observed by Shriya as this cell operates. (2 marks)
 - 1. _____
 - 2. _____
 - 3. _____



Question 3 (6 marks)

The following electrolytic cell has been constructed by your friend using cobalt electrodes:



They are struggling with the operation of the cell and have come to you for assistance.

- **a.** Label the direction of electron flow by placing an arrow in the box above. (1 mark)
- **b.** Explain why both electrodes do not oxidise, despite Co being the strongest reductant present. (2 marks)

c.

i. Hence, write the balanced half-equation occurring at the anode. (1 mark)

ii. Write the other relevant half-equation. (1 mark)


d. Hence or otherwise, explain what will happen to the pH of the electrolyte over time as the cell operates. (1 mark)



Section B: Extension (5 Marks)

Question 4 (5 marks)

Jonah constructs the following cell with scrap material he finds in his shed, with the hope of producing oxygen gas.



a. State whether or not this cell will achieve his goal. Justify your answer by using an appropriate half-equation.

	(2 marks)
b.	Explain which electrode will increase in size. (1 mark)
c.	If Jonah had set up the cell in a professional laboratory at very high temperatures (with appropriate safety precautions being taken) such that the electrolyte were now molten (liquid), list one other safety precaution he would need to take, and explain why. (2 marks)



Website: contoureducation.com.au | Phone: 1800 888 300 | Email: hello@contoureducation.com.au

VCE Chemistry ¾

Free 1-on-1 Support

Be Sure to Make The Most of These (Free) Services!

- Experienced Contour tutors (45+ raw scores, 99+ ATARs).
- For fully enrolled Contour students with up-to-date fees.
- After school weekdays and all-day weekends.

1-on-1 Video Consults	<u>Text-Based Support</u>
 Book via bit.ly/contour-chemistry-consult-2025 (or QR code below). One active booking at a time (must attend before booking the next). 	 Message +61 440 137 304 with questions. Save the contact as "Contour Chemistry".

Booking Link for Consults
bit.ly/contour-chemistry-consult-2025



Number for Text-Based Support +61 440 137 304

