

Website: contoureducation.com.au | Phone: 1800 888 300

Email: hello@contoureducation.com.au

# VCE Chemistry ¾ Le Chatelier's Principle [2.8]

Homework

### **Admin Info & Homework Outline:**

Student Name	
Questions You Need Help For	
Compulsory Questions	Pg 2-Pg 13
Supplementary Questions	Pg 14-Pg 22



### Section A: Compulsory Questions (43.5 Marks)



# <u>Sub-Section [2.8.1]</u>: Explain the Effects of Addition/Removal of Substances or Pressure/Volume Changes on Equilibrium System

#### **Question 1** (2.5 marks)



Maanya is experimenting with changes made to a sealed reaction vessel containing the following reaction:

$$N_2(g) + 3H_2(g) \rightleftharpoons 2NH_3(g)$$

In the table below, predict the direction in which the equilibrium system will shift (using a left or right arrow, or a dash for no change) when the following changes are made.

S. no	Change	Shift
a.	N <sub>2</sub> (g) is added.	
b.	$H_2(g)$ is removed.	
c.	NH <sub>3</sub> (g) is added.	
d.	Volume of the vessel is halved.	
e.	100 ml of water is added.	

- pace 101 1 01001101111111111	Space	for	Personal	Notes
--------------------------------	-------	-----	----------	-------





2 (2 marks)



Melody is interested in the following reaction.

$$CH_3COOH(aq) \rightleftharpoons CH_3COO^-(aq) + H^+(aq)$$

Explain the direction in which the equilibrium system will shift if she removes a small amount of ethanoic acid ( $CH_3COOH$ ).


### **Question 3** (3 marks)



Michelle sets up the following reaction in a 2 L vessel, which is half full, and allows it to reach equilibrium.

$$Cu^{2+}(aq) + 4NH_3(aq) \rightleftharpoons \{Cu(NH_3)_4\}^{2+}(aq)$$

Given that she adds  $500 \, mL$  of water to the reaction, explain whether the rate of the forward reaction will be greater, equal to or less than the rate of the reverse reaction.






# <u>Sub-Section</u>: Graph Effects of Addition/Removal of Substances or Pressure/Volume Changes on Equilibrium System


Question 4 (2 marks)

Shruti allows the following reaction to reach equilibrium.

$$H_2(g) + Cl_2(g) \rightarrow 2HCl(g)$$

She removes 0.40 mol of HCl from the vessel.

- **a.** Determine the direction in which the system shifts.
- **b.** Graph how the amounts of the species change with time. Assume HCl is removed at  $t_1$ , and equilibrium is re-established at  $t_2$ . (2 marks)





Question 5 (4 marks)




The following reaction is allowed to reach equilibrium in a 2.0 *L* vessel.

$$CO_2(g) + 2H_2(g) \rightleftharpoons CH_3OH(g)$$

Bhavya doubles the volume of the container.

**a.** Graph how the concentrations of the species change with time. Assume the volume is doubled at  $t_1$ , and equilibrium is re-established at  $t_2$ . (2 marks)



**b.** When the volume is doubled:

i. State the change to the amount of  $H_2$  at  $t_1$ . (1 mark)

ii. State the change to the amount of  $CO_2$  at  $t_2$ . (1 mark)



Question 6 (8 marks)




The following reaction is allowed to reach equilibrium in a 3.0 *L* container.

$$2NO_2(g) + Cl_2(g) \rightleftharpoons 2NOCl(g)$$

Catherine halves the volume of the container.

**a.** Graph how the concentrations of the species change with time. Assume the volume is halved at  $t_1$ , and equilibrium is re-established at  $t_2$ . (2 marks)



Catherine then adds 0.3 mol of chlorine gas (Cl<sub>2</sub>) to the system.

**b.** Graph how the concentration of the species changes with time. Assume the chlorine gas is added at  $t_3$ , and equilibrium is re-established at  $t_4$ . (2 marks)

- **c.** Compared to at  $t_1$ , at  $t_4$ :
  - i. Amount of NO<sub>2</sub> has: (1 mark)

Increased Stay the same Decreased

ii. Concentration of NOCl: (1 mark)


Increased Stay the same Decreased

# **C**ONTOUREDUCATION

d. In a separate setup, Catherine allows the following reaction to reach equilibrium.

$$H_2(g) + Cl_2(g) \rightarrow 2HCl(g)$$

She then doubles the volume of the vessel. Graph how the concentration of the species changes with time. Assume the volume is doubled at  $t_1$  and equilibrium is re-established at  $t_2$ . (2 marks)







# <u>Sub-Section</u>: Apply Partial Opposition During Equilibrium to the Effects on Amount, Concentration & Colour of Substance

Question 7 (3 marks)
Claire sets up the following reaction, allowing it to reach equilibrium.
$SO_2(g) + Br_2(g) \rightleftharpoons SO_2Br_2(g)$
Claire adds 0.2 <i>mol</i> of Br <sub>2</sub> to the system, given that the colour of Br <sub>2</sub> . Explain what happens to the intensity of the solution when equilibrium is re-established.
Space for Personal Notes



### Question 8 (6 marks)



Consider the following reaction where substance *B* is dark blue.

$$2A(aq) + B(aq) \leftrightarrow C(aq) + D(aq)$$

- **a.** If *A* is added, state the change: (2 marks)
  - i. In intensity of blue.

Increased	Stay the same	Decreased
-----------	---------------	-----------

**ii.** In the amount of *A*.

Increased	Stav the same	Decreased
mercasea	Diay the same	Decreased

**iii.** In the amount of C.

Increased	Stay the same	Decreased

- **b.** If *B* is removed, state the change: (2 marks)
  - i. In intensity of blue.

**ii.** In the amount of *A*.

Increased Stay the same Decreased

**iii.** In the amount of C.

Increased Stay the same Decreased

- **c.** If water is added, state the change: (2 marks)
  - i. In intensity of blue.

T	C4 41	D
Increased	Stay the same	Decreased

ii. In the amount of A.

Increased Stay the same Decreased

**iii.** In the amount of *C*.

Increased Stay the same Decreased



### **Question 9**



The following reaction is allowed to reach equilibrium.  $Co^{2+}(aq)$  is pink in colour.

$$Co^{2+}(aq) + 4Cl^{-}(aq) \rightleftharpoons [CoCl_4]^{2-}(aq)$$

Place ticks in appropriate boxes to indicate the effect of each change once a new equilibrium has been established.

Change at Equilibrium	Colour at New Equilibrium Compared with Initial Equilibrium		[Cl <sup>-</sup> ] at New Equilibrium Compared with Initial Equilibrium		
	Less Pink	More Pink	Decreased	Increased	
Sample 1: 1 drop of AgNO <sub>3</sub> solution is added, forming an AgCl precipitate					
Sample 2: 1 drop of NaCl solution is added					
Sample 3: A large volume of water is added					
Sample 4: A drop of K <sub>2</sub> Co is added					

Space for Personal Notes		



### Sub-Section: The 'Final Boss'



Question 10 (13 marks)



Commercially, the Haber process is the most viable method of synthesising ammonia gas. Albeit, sometimes the following reaction can be used instead as an alternative.


$$2NO(g) + 3H_2(g) \rightleftharpoons 4NH_3(g) + O_2(g)$$

Celeste, interested in the reaction, sets up an experiment in a 4.0 *L* vessel and allows the reaction to reach equilibrium. She also adds substance *X* in excess amounts, which is known to produce a red colour in the presence of hydrogen gas.

**a.** She changes the vessel volume to 2.0 *L*.

i.	Explain what happens to the intensity of the solution from the moment of volume change $(t_1)$ to when
	equilibrium is re-established $(t_2)$ . (3 marks)

ii. Hence, graph how the concentrations of the species change with time. Assume the volume changes at  $t_1$ , and equilibrium is re-established at  $t_2$ . (2 marks)





b.	She	then adds 0.6 mol of 1	NO(g) to the vesse	1.	
	i.	Explain which direction	on the system will	shift following this cha	ange. (2 marks)
	ii.	Hence, graph how the added at $t_3$ , and equili			n time on the graph above. Assume NO is
			orium is re-establis	311cd at 14. (2 marks)	
d.	Her	nce, compared to $t_1$ , at	t <sub>4</sub> : (2 marks)		
	i.	Concentration of NO h	nas:		
			Increased	Stay the same	Decreased
	ii.	Concentration of H <sub>2</sub> :			
			Increased	Stay the same	Decreased
	iii.	Amount of H <sub>2</sub> :	T 1	C. d	D. I
	iv	Intensity of red colour	Increased .	Stay the same	Decreased
	14.	intensity of red colour	Increased	Stay the same	Decreased
				<b>,</b>	



VCE Chemistry 3/4 Questions? Message +61 440 137 304

c.	Celeste finally adds $100  ml$ of water to the system. Explain the direction in which the system will shift. (2 marks)	
	ace for Personal Notes	1
ا ا ا	ace for a craofilal Notes	



### Section B: Supplementary Questions (33.5 Marks)



# <u>Sub-Section [2.8.1]</u>: Explain Effects of Addition/Removal of Substances or Pressure/Volume Changes on Equilibrium System

#### Question 11 (2.5 marks)



Precious is experimenting with changes made to a sealed reaction vessel containing the following reaction:

$$N_2(g) + 3H_2(g) \rightleftharpoons 2NH_3(g)$$

In the table below, predict the direction in which the equilibrium system will shift (using a left or right arrow, or a dash for no change) when the following changes are made:

S. no	Change	Shift
a.	$N_2(g)$ is removed.	
b.	H <sub>2</sub> (g) is added.	
c.	NH <sub>3</sub> (g) is removed.	
d.	Volume of the vessel is doubled.	
e.	100 ml of water is removed.	





Question 12 (2 marks)	
Melody is interested in the following reaction:	
$CH_3COOH(aq) \rightleftharpoons CH_3COO^-(aq) + H^+(aq)$	
Explain the direction in which the equilibrium system will shift if she removes a small amount of ethanoic acid (CH <sub>3</sub> COOH).	
(CH <sub>3</sub> COOH).	

**Question 13** (3 marks)



Shiven sets up the following reaction in a 2.0 L vessel, which is half full, and allows it to reach equilibrium.

$$Fe^{3+}(aq) + SCN^{-}(aq) \rightleftharpoons FeSCN^{2+}(aq)$$

Given that Shiven adds  $1000 \, mL$  of water to the reaction, explain whether the rate of the forwards reaction will be greater, equal to, or less than the rate of the reverse reaction.




Question 14 (4 marks)
Olivia observes the reaction shown below:
$Fe^{3+}(aq) + SCN^{-}(aq) \rightleftharpoons FeSCN^{2+}(aq)$
She is informed that the FeSCN <sup>2+</sup> ions produced a distinct red colour whilst all other ions in the system are colourless. At equilibrium, she finds there is $1.5 \ mol$ of Fe <sup>3+</sup> , $1.0 \ mol$ of SCN <sup>-</sup> and $0.75 \ mol$ of FeSCN <sup>2+</sup> present within the $1.0 \ L$ vessel.
Olivia adds $0.5  mol  of  Fe^{3+}(aq)$ to the system.
When adding iron (III) ions to the solution, she notices that the solution within the vessel increases in intensity to a darker red. Explain this observation.

Space for Personal Notes				





# <u>Sub-Section</u>: Graph Effects of Addition/Removal of Substances or Pressure/Volume Changes on Equilibrium System

**Question 15** (3 marks)


j

Merna allows the following reaction to reach equilibrium.

$$H_2(g) + Cl_2(g) \rightarrow 2HCL(g)$$

She adds 0.20 *mol* of HCl from the vessel.

- **a.** Determine the direction in which the system shifts. (1 mark)
- **b.** Graph how the amounts of the species change with time. Assume HCl is removed at  $t_1$ , and equilibrium is re-established at  $t_2$ . (2 marks)





Question 16 (4 marks)




The following reaction is allowed to reach equilibrium in a 2.0 *L* vessel.

$$CO_2(g) + 2H_2(g) \rightleftharpoons CH_3OH(g)$$

Katie halves the volume of the container.

**a.** Graph how the concentrations of the species change with time. Assume the volume is doubled at  $t_1$ , and equilibrium is re-established at  $t_2$ . (2 marks)



**b.** When the volume is halved:

**i.** State the change in the amount of  $H_2$  at  $t_1$ . (1 mark)

ii. State the change in the amount of  $CO_2$  at  $t_2$ . (1 mark)



Question 17 (6 marks)




The following reaction is allowed to reach equilibrium in a 3.0 *L* container.

$$2NO_2(g) + Cl_2(g) \rightleftharpoons 2NOCL(g)$$

Nour halves the volume of the container.

**a.** Graph how the concentrations of the species change with time. Assume the volume is halved at  $t_1$ , and equilibrium is re-established at  $t_2$ . (2 marks)



Nour then removes 0.3 mol of chlorine gas (Cl<sub>2</sub>) from the system.

**b.** Graph how the concentration of the species changes with time. Assume the chlorine gas is added at  $t_3$ , and equilibrium is re-established at  $t_4$ . (2 marks)

**c.** Compared to  $t_1$ , at  $t_4$ :

**i.** Amount of  $NO_2$ : (1 mark)

Increased Stays the same Decreased

ii. Concentration of NOCl: (1 mark)

Increased Stays the same Decreased



**Question 18** (3 marks)



# <u>Sub-Section</u>: Apply Partial Opposition during Equilibrium to the Effects on Amount, Concentration & Colour of Substance

Claire sets up the following reaction, allo	wing it to reach equilibrium.
	$SO_2(g) + Br_2(g) \rightleftharpoons SO_2Br_2(g)$

Claire removes  $0.2 \ mol$  of  $Br_2$  from the system. Given that the colour of  $Br_2$ , explain what happens to the intensity of the solution when equilibrium is re-established.


**Question 19** (6 marks)



Consider the following reaction where substance *B* is dark blue.

$$2A(aq) + B(aq) \leftrightarrow C(aq) + D(aq)$$

- **a.** If *A* is removed, state the change: (2 marks)
  - **i.** In the intensity of blue:

Increased Stay the same Decreased

**ii.** In the amount of A:

Increased Stay the same Decreased

**iii.** In the amount of C:

Increased Stay the same Decreased



b.	If <i>B</i> is added, state the change: (2 marks)				
	i. In the intensity of blue:				
		Increased	Stay the same	Decreased	
	ii. In the amount of $A$ :				
		Increased	Stay the same	Decreased	
	<b>iii.</b> In the amount of $C$ :				
		Increased	Stay the same	Decreased	
0	If water is added state the	ahanga (2 martra)			
c.	. If water is added, state the change: (2 marks)				
	i. In the intensity of blue:				
		Increased	Stay the same	Decreased	
	<b>ii.</b> In the amount of <i>A</i> :				
		Increased	Stay the same	Decreased	
	<b>iii.</b> In the amount of $C$ :				
		Increased	Stay the same	Decreased	



#### **Question 20**



The following reaction is allowed to reach equilibrium.  $Co^{2+}(aq)$  is pink in colour.

$$Co^{2+}(aq) + 4Cl^{-}(aq) \rightleftharpoons [CoCl_4]^{2-}(aq)$$

Place ticks in appropriate boxes to indicate the effect of each change once a new equilibrium has been established.

Change at Equilibrium	Colour at New Equilibrium Compared with Initial Equilibrium		$[\operatorname{CoCl}_4]^{2-}$ at New Equilibrium Compared with Initial Equilibrium		
	Less Pink	More Pink	Decreased	Increased	
Sample 1: 1 drop of AgNO <sub>3</sub> solution is added, forming a AgCl precipitate.					
Sample 2: 1 drop of NaCl solution is added.					
Sample 3: A large volume of water is removed.					
Sample 4: A drop of K <sub>2</sub> Co is added.					

Space for Personal Notes			




Website: contoureducation.com.au | Phone: 1800 888 300 | Email: hello@contoureducation.com.au

# VCE Chemistry ¾

# Free 1-on-1 Support

### Be Sure to Make The Most of These (Free) Services!

- Experienced Contour tutors (45 + raw scores, 99 + ATARs).
- For fully enrolled Contour students with up-to-date fees.
- After-school weekdays and all-day weekends.



Booking Link for Consults
bit.ly/contour-chemistry-consult-2025



Number for Text-Based Support +61 440 137 304

