

Website: contoureducation.com.au | Phone: 1800 888 300

Email: hello@contoureducation.com.au

# VCE Mathematical Methods ½ Transformations [2.4]

Workbook

#### **Outline:**

Pg 2-8

Pg 9-20

#### **Introduction to Transformations**

- Image and Pre-Image
- Dilation
- Reflection
- Translation

#### **Transformation of Points**

- Basic Transformation of Points
- The Order of Transformations
- Interpreting the Transformation of Points

#### **Transformation of Functions**

Pg 21-28

- Applying Transformations to Functions
- Finding the Applied Transformations

#### **Learning Objectives:**

- $\blacksquare$  MM12 [2.4.1] Applying x' and y' Notation to Find Transformed Points, Find the Interpretation of Transformations and Altered Order of Transformations
- MM12 [2.4.2] Find Transformed Functions
- MM12 [2.4.3] Find Transformations From Transformed Function (Reverse Engineering)



#### Section A: Introduction to Transformations


#### Sub-Section: Image and Pre-Image



What do we call an original coordinate and a transformed coordinate?



**Image and Pre-Image** 



- The original coordinate is called the \_\_\_\_\_\_.
- The transformed coordinate is called the \_\_\_\_\_\_.

Pre-Image: (x, y)

Image: (x', y')

#### **Question 1**

It is known that (1,4) transformed into (3,5). State the value of x' and y'.

**NOTE:** The x' and y' notation will be used quite heavily!






#### **Sub-Section**: Dilation



#### **Exploration**: Dilation

Consider the point below:



- Let's plot the coordinates:
  - $\bigcirc$  P1: Dilation by a factor 2 from the x-axis.
  - P2: Dilation by a factor  $\frac{1}{2}$  from the x-axis.
  - $\bigcirc$  P3: Dilation by a factor 2 from the y-axis.
  - P4: Dilation by a factor  $\frac{1}{2}$  from the y-axis.

#### **Dilation**



Dilation by a factor a from the x-axis: y' = ay

Dilation by a factor b from the y-axis: x' = bx



Question 2 Walkthrough.		
Find the image $(x', y')$ after applying the following transformations to $(x, y)$ .		
	Dilation by factor 2 from the $x$ -axis.	
	Dilation by factor $\frac{1}{3}$ from the <i>y</i> -axis.	

<b>◯</b> ONT	OUREDU	<b>JCATION</b>



Find the image (x', y') after applying the following transformations to (x, y).

Dilation by factor  $\frac{1}{2}$  from the *x*-axis.

Dilation by factor 4 from the *y*-axis.

**NOTE**: We are applying the transformations on (x, y) not (x', y').






### **Sub-Section**: Reflection



#### **Exploration**: Reflection

Consider the point below:



- Let's plot the coordinates:
  - $\bigcirc$  P1: Reflection in the x-axis.
  - $\bigcirc$  P2: Reflection in the y-axis.



#### **Reflection**

Reflection in the *x*-axis: y' = -y

Reflection in the *y*-axis: x' = -x






#### **Sub-Section: Translation**



#### **Exploration**: Translation

Consider the point below:



- Let's plot the coordinates (ignore the scale):
  - $\bullet$  P1: Translation by 2 units in the negative direction of the x-axis.
  - $\bigcirc$  P2: Translation by 3 units in the negative direction of the y-axis.

## <u>Translation</u>



Translation by c units in the positive direction of the x-axis: x' = x + c

Translation by d units in the positive direction of the y-axis: y' = y + d



#### **Question 4**

Find the image (x', y') after applying the following transformations to (x, y).

Translation by 3 units in the positive direction of the x-axis.

Translation by 2 units in the negative direction of the *y*-axis.

#### Key Takeaways



- $\checkmark$  The transformed point is called the image and is denoted by (x', y').
- ✓ The dilation factor is multiplied by the original coordinates.
- Reflection makes the original coordinates the negative of their original values.
- ✓ Translation adds a unit to the original coordinates.



#### Section B: Transformation of Points

#### **Sub-Section**: Basic Transformation of Points



#### Let's try to apply all types of transformations to a point!

#### Question 5 Walkthrough.

Find the image (x', y') after applying the following transformations to (x, y).

Dilation by a factor 2 from the x-axis.

Dilation by a factor 4 from the *y*-axis.

Reflection in the x-axis.

Translation by 2 units in the negative direction of the x-axis.

Translation by 3 units in the positive direction of the y-axis.



#### **Question 6**

Find the image (x', y') after applying the following transformations to (x, y).

Translation by 4 units in the positive direction of the x-axis.

Translation by 3 units in the negative direction of the *y*-axis.

Dilation by a factor of  $\frac{1}{5}$  from the x-axis.

Dilation by a factor of 2 from the y-axis.

Reflection in the x-axis.

**NOTE:** Order Matters.





Ouestion 7	Extono	rion

Find the image (x', y') after applying the following transformations to (x, y).

Translation by a units in the negative direction of the x-axis.

Translation by b units in the positive direction of the y-axis.

Dilation by a factor c from the x-axis.

Dilation by a factor  $\frac{3}{d}$  from the y-axis.

Reflection in the x-axis.



#### Sub-Section: The Order of Transformations



<u>Discussion:</u> From the previous question, what happens when the translation is applied first?



#### What is the order of transformations the same as?



#### **The Order of Transformation**

#### Order = BODMAS Order



Consider the point (x, y) which was transformed into a point (3x + 6, y) by the transformation T.

Jennifer thinks the transformation was:

"Translation 6 units in the positive direction of the x-axis and dilation by a factor of 3 from the y-axis."

Meanwhile, David thinks the transformation was:

"Dilation by a factor of 3 from the y-axis and translation 6 units in the positive direction of the x-axis."

Who is correct? And why?





Question 9
Consider the point $(x, y)$ was transformed into a point $(2(x - 5), y)$ by the transformation $T$ .
Mary thinks the transformation was:
"Translation 5 units in the negative direction of the $x$ -axis and dilation by a factor of 2 from the $y$ -axis."
Meanwhile, Sam thinks the transformation was:
"Dilation by a factor of 2 from the $y$ -axis and translation 5 units in the negative direction of the $x$ -axis."
Who is correct? And why?



A	10	T 4	•
Ouestion	10	HXte	ension.

Consider the point (x, y) was transformed into a point (2ax + 6a, y) by the transformation T.

Jennifer thinks the transformation was:

"A translation by 3 units in the positive direction of the x-axis, followed by a dilation by a factor 2a from the y-axis."

Meanwhile, David thinks the transformation was:

"A dilation by a factor 2a from the y-axis, followed by a translation by 3a units in the positive direction of the x-axis."

Who is correct? And why?

<u>Discussion:</u> If the order is the same as the BODMAS order, how do we change the order of transformations?





Question 11 Walkthrough.		
The series of transformations, "a dilation by a factor $\frac{1}{2}$ from the x-axis and a translation by 3 units up" yields the same result as the series of transformations, "a translation by a units up and a dilation by a factor b from the x-axis." Find the values of a and b.		



Question 12
The series of transformations, "a dilation by a factor 4 from the $y$ -axis, a reflection in the $y$ -axis and a translation by 8 units left" yields the same result as the series of transformations, "a translation by $c$ units right, a reflection in the $y$ -axis and a dilation by a factor $d$ from the $y$ -axis." Find the values of $c$ and $d$ .



$\Omega$	iestion	13	Evt	ancian
W	iesuon	1.3	CXU	ension.

The series of transformations, "a dilation by a factor 2 from the y-axis, a reflection in the y-axis, a dilation by a factor 2 from the x-axis, a translation by 4 units left and a translation by 6 units down", yields the same result as the series of transformations, "a translation by c units right, a reflection in the y-axis, a dilation by a factor d from the y-axis, a translation k units down, and a dilation by a factor m from the x-axis." Find the values of c, d, k and m.

**NOTE:** Dilation factors don't change!





## <u>Sub-Section</u>: Interpreting the Transformation of Points



**Active Recall: Order of Transformation** 



#### Order = BODMAS Order

Question 14 Walkthrough.

Consider the transformation which maps:

$$x' = 2x + 4$$

$$y' = -3(y-1)$$

**a.** State the transformation in DRT (Dilation, Reflection, Translation) order.

**b.** State the transformation in the translation first order.



**NOTE:** Expanding or factorising changes the order of transformation.



#### **Question 15**

Consider the transformation which maps:

$$x' = 3x + 6$$

$$y' = -2(y+2)$$

a. State the transformation in DRT (Dilation, Reflection, Translation) order.

**b.** State the transformation in the translation first order.



<u>Discussion:</u> Could the order of *x* and *y* transformations change?



#### **Key Takeaways**



- $\checkmark$  Transformations should be interpreted when x' and y' are isolated.
- ☑ The order of transformation follows the BODMAS order.
- ✓ To change the order of transformations, we either factorise or expand.



#### Section C: Transformation of Functions

#### **Sub-Section:** Applying Transformations to Functions



#### Let's now work with Functions!



#### **Transformation of Functions**

 $\blacktriangleright$  The aim is to get rid of the old variables, x and y, and have the new variables, x' and y', instead.

$$y = f(x) \rightarrow y' = f(x')$$

- Steps:
  - 1. Transform the points.
  - **2.** Make *x* and *y* the subjects.
  - **3.** Substitute them into the function.

#### Question 16 Walkthrough.

Apply the transformations given below to  $y = x^2$ .

Reflect in the *y*-axis.

Translate 1 unit to the right.

Dilate by a factor of 2 from the y-axis.



#### Your turn!



#### **Active Recall:** Transformation of Functions



The aim is to get rid of the old variables, x and y, and have the new variables, x' and y', instead.

$$y = f(x) \rightarrow y' = f(x')$$

- Steps:
  - 1. Transform the \_\_\_\_\_\_.
  - **2.** Make *x* and *y* the \_\_\_\_\_\_.
  - **3.** \_\_\_\_\_ them into the function.



#### **Question 17**

Apply the following transformations to the functions given:

**a.** 
$$f(x) = x^2$$

Dilation by factor 3 from the x-axis.

Reflect in the *y*-axis.

Translate 3 units to the left.

Dilate by a factor of 5 from the *y*-axis.

**b.** 
$$f(x) = \sqrt{x}$$

Dilate by a factor of  $\frac{1}{4}$  from the y-axis.

Dilate by a factor of 3 from the x-axis.

Translate 4 units to the left.

Translate 1 unit up.

Reflect in the *y*-axis.



uestion 18 Extension.		
pply the following transfo	ormations to $y = 2^x$ .	
	Translation by 2 units to the right.	
	Reflection in the <i>y</i> -axis.	
	Dilation by a factor 3 from the <i>y</i> -axis.	
	Translation by 3 units up.	
	A dilation by a factor 2 from the $x$ -axis.	
	A reflection in the $x$ -axis.	



### **Sub-Section:** Finding the Applied Transformations



#### Now let's go backwards!



#### **Reverse Engineering**

- Steps:
  - 1. Add the dashes (') back to the transformed function.
  - **2.** Make f() the subject.
  - **3.** Equate the LHS of the original and transformed functions to the RHS of the original and transformed functions.
  - **4.** Make x' and y' the subjects and interpret the transformations.

#### Question 19 Walkthrough.

Find the transformations required for  $y = x^2$  to be transformed to  $y = 3\left(\frac{x+3}{2}\right)^2 + 5$ .



#### Your turn!



#### Active Recall: Steps for reverse engineering



- Steps:
  - 1. Add the dashes (') back to the \_\_\_\_\_\_.
  - **2.** Make *f*() the \_\_\_\_\_\_.
  - **3.** Equate the LHS of the original and transformed functions to the RHS of the original and transformed functions.
  - **4.** Make \_\_\_\_\_ the subjects and interpret the transformations.





#### **Question 20**

State a series of transformations (in order) that allow f(x) to be transformed into g(x).

**a.** 
$$f(x) = 2(x+1)^2 + 3$$
 and  $g(x) = 6(x-4)^2 - 3$ .

**b.** 
$$f(x) = 3(x-1)^2$$
 and  $g(x) = \frac{1}{2}(2x+3)^2 + 1$ .



<b>Ouestion</b>	21	Exter	nsion.

Find a sequence of transformations required for  $y = 2(x-3)^2 + 4$  to be transformed to  $y = -x^2 - 4x - 9$ .

#### Key Takeaways



- We transform the coordinates first, then transform the function.
- ✓ To transform the function, replace its old variables with the new ones.
- lacktriangleq To find the transformations, simply equate LHS with RHS after separating the transformations of x and y.





### **Contour Checklist**

Learning Objective: [2.4.1] – Applying x' and y' Notation to Find Transformed Points, Find the Interpretation of Transformations and Altered Order of Transformations

Key Takeaways
☐ The transformed point is called the and is denoted by
☐ The dilation factor is to the original coordinate.
□ Reflection makes the original coordinates the of their original values.
☐ Translation a unit to the original coordinate.
☐ Transformations should be interpreted when are isolated.
☐ The order of transformation follows the order.
☐ To change the order of transformations, we either
Learning Objective: [2.4.2] - Find Transformed Functions
Key Takeaways
☐ To transform the function, replace its with the new one.



■ <u>Learning Objective</u>: [2.4.3] – Find Transformations From Transformed Function (Reverse Engineering)

#### **Key Takeaways**

 $\square$  To find the transformations, simply equate the \_\_\_\_\_ after separating the transformations of x and y.



Website: contoureducation.com.au | Phone: 1800 888 300 | Email: hello@contoureducation.com.au

#### VCE Mathematical Methods ½

# Free 1-on-1 Support

#### Be Sure to Make The Most of These (Free) Services!

- Experienced Contour tutors (45+ raw scores, 99+ ATARs).
- For fully enrolled Contour students with up-to-date fees.
- After school weekdays and all-day weekends.

1-on-1 Video Consults	<u>Text-Based Support</u>
<ul> <li>Book via <a href="bit.ly/contour-methods-consult-2025">bit.ly/contour-methods-consult-2025</a>         (or QR code below).</li> <li>One active booking at a time (must attend before booking the next).</li> </ul>	<ul> <li>Message +61 440 138 726 with questions.</li> <li>Save the contact as "Contour Methods".</li> </ul>

Booking Link for Consults
bit.ly/contour-methods-consult-2025



Number for Text-Based Support +61 440 138 726

