

Website: contoureducation.com.au | Phone: 1800 888 300

Email: hello@contoureducation.com.au

# VCE Mathematical Methods ½ Probability Exam Skills [3.2]

Homework

### Admin Info & Homework Outline:

Student Name	
Questions You Need Help For	
Compulsory Questions	Pg 2 — Pg 15



# Section A: Compulsory Questions (51 Marks)

## **Sub-Section**: Exam 1 Questions

Question 1 (6 marks)					
Two coins, coin $A$ and coin $B$ are tossed simultaneously. Let $A$ be the event that coin $A$ lands on heads and $B$ be the event that coin $B$ lands on heads.					
<b>a.</b> Explain why A and B are independent events. (1 mark)					
<b>b.</b> Draw a Karnaugh table illustrating the possible outcomes of the toss. (2 marks)					



#### VCE Methods ½ Questions? Message +61 440 138 726

c. Hence, find the probability that:				
i. Coin A returns heads. (1 mark)				
ii. Exactly one head is obtained. (1 mark)				
iii. No coins return heads. (1 mark)				
Question 2 (6 marks)				
An aspiring mathemagician is studying the properties of a standard deck of 52 cards. He starts by taking on from the deck, placing it aside, and then taking another card and placing it aside.	e card			
Find the probability that:				
<b>a.</b> A spade is chosen, followed by a heart. (2 marks)				
<b>b.</b> 2 cards from the same suit are chosen. (2 marks)				

<b>c.</b> The two chosen cards are consecutive (e.g. 6 and 7 or Q and J – this can go both ways e.g. K and A are	
consecutive, so are A and 2). (2 marks)	
	_
	_
	_
	_
Question 3 (5 marks)	
Question 5 (5 marks)	
Given that 2 events A and B are mutually exclusive, and $Pr(A) = 0.3$ and $Pr(B') = 0.4$ .	
Find the probability of:	
<b>a.</b> $Pr(A \cap B)$ . (1 mark)	
a. FI(ATID). (Tillatk)	
	_
	_
<b>b.</b> $Pr(A' \cap B)$ . (2 marks)	

c. Pr(A∪B). (2 marks)


**Space for Personal Notes** 



-					
Question 4 (5 marks)					
If a particular student does not procrastinate before a test, the probability that they pass the test is 0.9. However, the probability that they do procrastinate, resulting in a 0.3 passing probability, is 0.7.					
a. Find the probability that they:					
i. Fail the test after procrastinating. (1 mark)					
ii. Pass the test regardless of whether they procrastinate. (3 marks)					
<b>b.</b> Hence, find the probability that the student does not pass the test. (1 mark)					

6

**Space for Personal Notes** 





Question 5 (3 marks)  James is studying independent events. He knows that for 2 events, $A$ and $B$ , that $Pr(A \cup B) = 0.8$ , $Pr(A' \cup B) = 0.7$ and $Pr(A) = 0.6$ but does not know how to determine whether or not the events are independent. Help James determine whether the events $A$ and $B$ are independent.					
pace for Personal Notes					







#### **Question 6**

Which of the following Karnaugh tables represents a set of events that are independent?

A.

	A	A'	
В	0.32	0.08	0.4
В'	0.38	0.22	0.6
	0.7	0.3	

B.

	A	A'	
В	0.32	0.08	0.4
В'	0.28	0.32	0.6
	0.6	0.4	

C.

	A	A'	
В	0.3	0.2	0.5
Β'	0.2	0.3	0.5
	0.5	0.5	

D.

	A	A'	
В	0.1	0.4	0.5
Β'	0.1	0.4	0.5
	0.2	0.8	

#### **Space for Personal Notes**



#### **Question 7**

The letters from the word ENVIRONMENT are randomised and placed in a row. The probability of the first two letters both being "E" is:

- **A.**  $\frac{2}{110}$
- **B.**  $\frac{4}{121}$
- C.  $\frac{2}{121}$
- **D.**  $\frac{1}{11}$

#### **Question 8**

OpenAI has offered small business owners a taste of their new top-secret business AI model through a lottery. Angad and Amitav are withdrawn from the failure that was AngadGPT and jump on this opportunity. They calculate that their chances of gaining access to juicy business secrets are  $\frac{1}{80}$ . If 4000 tickets were sold, how many tickets are Angad and Amitav in possession of?

- **A.** 5
- **B.** 10
- **C.** 50
- **D.** 500

#### **Question 9**

A coin is thrown 3 times. The total number of outcomes is:

- **A.** 4
- **B.** 3
- **C.** 9
- **D.** 8

#### **Question 10**

Two events A and B are independent and mutually exclusive. Which of the following must be true?

- **A.**  $Pr(A \cup B) = 0$
- **B.** Pr(A) Pr(B) = 0
- C.  $Pr(A \cup B) = Pr(A) Pr(B)$
- **D.** None of the above

#### **Question 11** (16 marks)

It is known that a randomly selected summer's day can be rainy or sunny. There is a 0.6 probability that it will be sunny and a 0.2 probability that it will be rainy.

**a.** Given that it cannot be rainy and sunny on the same day, use a Karnaugh table to find the probability that it will not be rainy or sunny on a given day (2 marks)



However, in Melbourne, this is not the case and any combination of weather events can occur on a given day where Pr(sunny) = 0.6 and Pr(rainy) = 0.2, with the events "sunny" and "rainy" being independent events.


	here $Pr(sunny) = 0.6$ and $Pr(rainy) = 0.2$ , with the events "sunny" and "rainy" being independent events.
b.	If it rains, the chance that there is a thunderstorm is 0.05, if it does not rain, the chance that there is a thunderstorm is 0.01. Draw a tree diagram to illustrate these outcomes. (2 marks)
Ar da	n unsurprising summer day in Melbourne occurs if it is sunny, rainy, and there is a thunderstorm on the same y.
da	y.
da	Find the probability that any given summer day is an unsurprising summer day in Melbourne. (2 marks)
da	Find the probability that any given summer day is an unsurprising summer day in Melbourne. (2 marks)
da	Find the probability that any given summer day is an unsurprising summer day in Melbourne. (2 marks)



During a thunderstorm, the probability of being struck by lightning is 0.001. It is not possible to be struck by lightning when there is not a thunderstorm. It is known that Alex really likes playing in the rain.

**d.** Construct a tree diagram of every possible event that can happen on a Melbourne summer day. You do not need to calculate the probabilities of the final outcomes. Calculations of the final probabilities of each outcome are not necessary, but label each branch of the diagram with its corresponding probability. (6 marks)

Hint: Start with sunny or rainy weather.






e.	Hei	nce, find the probability that:
	i.	Alex is struck by lightning on a rainy day. Give your answer in the form $a \times 10^{-b}$ , where $a \in \mathbb{R}^+$ and $b \in \mathbb{Z}^+$ . (1 mark)
	ii.	Alex is struck by lightning on an unsurprising summer day. Give your answer in the form $a \times 10^{-b}$ , where $a \in \mathbb{Z}^+$ and $b \in \mathbb{Z}^+$ . (1 mark)
	iii.	Alex is struck by lightning on any given summer day. Give your answer in the form $a \times 10^{-b}$ , where $a \in \mathbb{R}^+$ and $b \in \mathbb{Z}^+$ . (2 marks)
Sp	ace	for Personal Notes



Question 12 (10 marks)				
Subu has bought a KFC Chicken Bucket containing 3 original recipes, 2 chicken tenders and 5 nuggets.				
Subu is feeling spontaneous today and takes 2 pieces of chicken from the bucket without looking and eats them. Find the probability that Subu does not eat a chicken nugget. (2 marks)				
ou is still hungry after he has just eaten 1 chicken nugget and 1 original recipe so he takes another 2 pieces of cken from the bucket and eats them.				
Find the probability that Subu eats a tender and a nugget in any order. (2 marks)				
but is finally satisfied after eating a tender and a nugget on top of what he ate after <b>part a.</b> so he gives the rest of bucket to his friend Sam who has not eaten yet.				
Sam eats what's left in the bucket and is too hungry to look at what he is grabbing. Find the probability that he starts with the remaining nuggets before eating anything else. (2 marks)				





d.	After Sam finishes, Subu decides that he is actually still quite hungry and so he and Sam decide to buy another bucket with the same amounts of each chicken item to share. Subu and Sam take turns taking and eating chicken from the bucket without looking at what they are getting.			
	i. Explain why the events "Sam eats a chicken nugget" and "Subu eats an original recipe" are not independent events. (1 mark)			
	ii.	Sam really likes chicken nuggets. Find the probability that it is his lucky day and he manages to grab all of the chicken nuggets in the bucket, taking into account that either Sam or Subu can go first. (3 marks)		
	Hint: Remember that either Sam or Subu can go first.			
Space for Personal Notes				



Website: contoureducation.com.au | Phone: 1800 888 300 | Email: hello@contoureducation.com.au

## VCE Mathematical Methods ½

# Free 1-on-1 Support

#### Be Sure to Make The Most of These (Free) Services!

- Experienced Contour tutors (45+ raw scores, 99+ ATARs).
- For fully enrolled Contour students with up-to-date fees.
- After school weekdays and all-day weekends.

1-on-1 Video Consults	<u>Text-Based Support</u>
<ul> <li>Book via bit.ly/contour-methods-consult-2025 (or QR code below).</li> <li>One active booking at a time (must attend before booking the next).</li> </ul>	<ul> <li>Message +61 440 138 726 with questions.</li> <li>Save the contact as "Contour Methods".</li> </ul>

Booking Link for Consults bit.ly/contour-methods-consult-2025



Number for Text-Based Support +61 440 138 726

