



Website: [contoureducation.com.au](http://contoureducation.com.au) | Phone: 1800 888 300  
Email: [hello@contoureducation.com.au](mailto:hello@contoureducation.com.au)

VCE Mathematical Methods ½  
Graphs of Circular Function [4.4]  
Homework

Admin Info & Homework Outline:



|                             |               |
|-----------------------------|---------------|
| Student Name                |               |
| Questions You Need Help For |               |
| Basics                      | Pg 2 - Pg 8   |
| Problem Solving             | Pg 9 - Pg 15  |
| Exam 1                      | Pg 16 - Pg 19 |
| Exam 2                      | Pg 20 - Pg 24 |

**Section A: Basics****Question 1**

Consider the function  $f(x) = 3\sin(x)$ .

- a. State the amplitude of  $f$ .

---

---

---

---

---

---

- b. State the range of  $f$ .

---

---


---

---

---

---

- c. Sketch the graph of  $y = f(x)$  for  $x \in [0, 2\pi]$  on the axes below, labelling axes intercepts and turning points with their coordinates.



### Question 2

Consider the function  $f(x) = 2 \cos(2x) - 1$ .

- a. State the amplitude of  $f$ .

---



---

- b. State the period of  $f$ .

---



---

c. State the average value of  $f$ .

---



---


d. State the maximum value of  $f$ .

---



---

e. Sketch the graph of  $y = f(x)$  for  $x \in [0, 2\pi]$  on the axes below, labelling axes intercepts and turning points with their coordinates.



Space for Personal Notes

**Question 3**

Consider the function  $f(x) = 3\tan\left(\frac{x}{2}\right)$ .

- a. State the range of  $f$ .

---



---


- b. State the period of  $f$ .

---



---

- c. Sketch the graph of  $y = f(x)$  for  $x \in (-\pi, \pi)$  on the axes below, labelling axis intercepts with their coordinates and asymptotes with their equations.



**Question 4**

Consider the function  $f(x) = -4 \sin(\pi x) + 3$ .

- a. State the amplitude of  $f$ .

---

---

- b. State the period of  $f$ .

---

---

- c. State the minimum value of  $f$ .

---


---

- d. State the average value of  $f$ .

---

---

- e. Sketch the graph of  $y = f(x)$  for  $x \in [0, 4]$  on the axes below, labelling  $y$ -intercepts and turning points with their coordinates.



**Question 5**

The function  $f(x) = a \cos(bx) + c$ , where  $a, b \in \mathbb{R}^+$  and  $c \in \mathbb{R}$ , has the following properties:

- ▶ Maximum value = 5
- ▶ Minimum value =  $-1$
- ▶ Period =  $\pi$

Find  $a$ ,  $b$  and  $c$ .

---

---

---

---

---

---

**Question 6**

Which of the following is true for  $f(x) = \sin(x)$ ?

- A. Amplitude of 2 and period  $\pi$ .
- B. *Range* =  $[0,1]$ .
- C.  $f(x)$  has no turning points.
- D. Average value = 0.

**Space for Personal Notes**



**Section B: Problem Solving****Question 7**

Consider the functions  $f(x) = \sin(x)$  and  $g(x) = 2 \sin\left(x - \frac{\pi}{3}\right) + 1$ .

- a. Describe a series of transformations that map the function of  $f(x)$  onto the function  $g(x)$ .

---

---

---

---

---

- b. Hence, or otherwise, state the amplitude, period, range and average value of  $g$ .

---

---

---

---

**Space for Personal Notes**

### Question 8

A circular function  $f(x)$  has the following characteristics:

- Amplitude: 3
- Average value: 2
- Period:  $\pi$
- Has a maximum occurring at  $x = 0$

**a.** Write a possible rule for  $f(x)$  in the form  $f(x) = a \cos(bx) + c$ , where  $a, b \in \mathbb{R} \setminus \{0\}$  and  $c \in \mathbb{R}$ .

---



---



---



---

**b.** Convert the rule from **part a.** into an equivalent form in terms of sine.

---



---



---



---




---

Space for Personal Notes

**Question 9**

Let  $f(x) = \cos(x)$  and  $g(x) = \sin(x)$ .

- a. Sketch the graphs of  $f(x)$  and  $g(x)$  for  $x \in [0, 2\pi]$  on the axes below, labelling axes intercepts with their coordinates.



- b. Hence, state a single transformation that maps the graph of  $f(x)$  onto the graph of  $g(x)$ .

---



---

- c. Hence, state the equation of the relationship shown in **part b**.

---




---

Space for Personal Notes

**Question 10**

Let  $f: [0, 2\pi] \rightarrow \mathbb{R}, f(x) = \cos(x)$ . The graph of  $f(x)$  is shown below.



- a. Solve the equation  $f(x) = \frac{1}{2}$  for  $x$ .

---



---




---



---

- b. Shade the part of the graph where  $f(x) \geq \frac{1}{2}$  on the graph below.



- c. Hence, find the values of  $x$  for which  $f(x) \geq \frac{1}{2}$  and find the fraction of the period for which this occurs.

---



---



---



---



---



---

Space for Personal Notes

**Question 11 Tech-Active.**

A population of endangered butterflies on an island follows a predictable pattern and is modelled by the function:

$$b: [0, \infty) \rightarrow \mathbb{R}, b(t) = 0.8 \sin\left(\frac{\pi t}{3}\right) + 1.2$$

where  $b$  is the population of the butterflies measured in thousands and  $t$  is the number of months since the butterflies were brought to the island.

- a.** Find the maximum and minimum population of butterflies on the island.

---



---



---



---

- b.** Find the total amount of time in the first year where the butterfly population is above 1500. Give your answer in months correct to 2 decimal places.

---



---



---



---



---

**Space for Personal Notes**

**Question 12 Tech-Active.**

The height of a Ferris wheel carriage during one ride is modelled by the function:

$$h: [0,10] \rightarrow \mathbb{R}, h(t) = -12 \cos\left(\frac{\pi t}{5}\right) + 17$$

where  $h$  is the height of the carriage in metres above the ground and  $t$  is the time in minutes from when the carriage departs the boarding platform.

- a.** Find the height of the boarding platform above the ground.

---



---



---

- b.** Find the height of the Ferris wheel, given that the bottom of the Ferris wheel lies on the ground.

---



---



---

It is possible to get an aesthetic view of the nearby harbourfront if you are more than 20 metres above the ground on the Ferris wheel.

- c.** Find the percentage of total ride time during a ride where riders have an aesthetic view of the harbourfront. Give your answer correct to 2 decimal places.

---



---



---



---



---



---

**Section C: Exam 1 (18 Marks)****Question 13** (4 marks)

Consider the function  $f(x) = 2 \cos(x) + 1$ .

- a. State the amplitude, and average value of the function. (1 mark)

---

---

- b. Find the maximum and minimum values of  $f$ . (2 marks)

---

---

---

- c. Hence, state the range of  $f$ . (1 mark)

---

**Question 14** (5 marks)

Let  $f(x) = \sin(2x)$ .

- a. Find the values of  $x$  where  $f(x) = \frac{1}{2}$  in the interval  $x \in [0, \pi]$ . (2 marks)

---

---

---

---



b. Find the maximum and minimum values of  $f$ . (3 marks)

---

---

---

---

---

---

**Question 15** (2 marks)

The function  $f(x) = \tan(kx)$ , where  $k \in \mathbb{R}$ , completes one full period over the interval  $(0, 4\pi)$ .

Find the value of  $k$ .

---

---

---

---

Space for Personal Notes

**Question 16** (4 marks)

The graph of a circular function  $f(x)$  has the following features:

- Maximum value: 1
- Minimum value:  $-5$
- Period: 3
- Minimum at  $x = 0$

Find a rule for  $f(x)$ . Express your answer in the form  $f(x) = a \cos(bx) + c$ , where  $a, b \in \mathbb{R} \setminus \{0\}$  and  $c \in \mathbb{R}$ .

---

---

---

---

---

---

---

---

Space for Personal Notes

**Question 17** (3 marks)

The function  $T(t) = 2 \sin\left(\frac{\pi t}{6}\right) + 4$  models the temperature of a fridge in  $^{\circ}\text{C}$  over time, measured in minutes.

- a. Find the period of  $T$  in minutes. (1 mark)

---

---

- b. Find the maximum temperature reached in the fridge in  $^{\circ}\text{C}$ . (1 mark)

---

---

- c. Find the percentage of time that the fridge spends above its average temperature. (1 mark)

---

---

---

Space for Personal Notes

**Section D: Exam 2 (24 Marks)****Question 18** (1 mark)

The function  $f(x) = 23 \sin(2x) - \pi$  has a period of:

- A.  $-\pi$
- B.  $\pi$
- C. 23
- D.  $\frac{\pi}{2}$

**Question 19** (1 mark)

The graph of a circular function  $f(x)$  has the following features:

- ▶ Minimum value: 2
- ▶ Maximum value: 10
- ▶ Period: 1

A possible rule for  $f(x)$  is:

- A.  $4 \sin(x) + 6$
- B.  $4 \cos\left(\frac{x}{2\pi}\right) + 6$
- C.  $4 \sin(\pi x) + 6$
- D.  $4 \cos(2\pi x) + 6$

**Space for Personal Notes**

**Question 20** (1 mark)

Let  $f(x) = 6\sin\left(\frac{x}{2}\right) - 3$ . The fraction of the period where  $f(x) < -1$  is closest to:

- A. 0.608
- B. 0.764
- C. 0.108
- D. 0.392

**Question 21** (1 mark)

The function  $f(x) = a\sin(x) + b$  is greater than 2 for exactly  $\pi$  units per period. Which of the following are possible values of  $a$  and  $b$ ?

- A.  $a = 2, b = 0$
- B.  $a = 2, b = 2$
- C.  $a = 3, b = 1$
- D.  $a = 1, b = 1$

**Question 22** (9 marks)

Sam is bouncing on a trampoline at Bounce and Subu is trying to model his height above the ground. Subu models Sam's height above the ground using the function:

$$h(t) = \frac{5}{4}\sin\left(\frac{\pi}{2}(t + k)\right) + 1$$

where  $h$  is Sam's height above the ground measured in metres,  $t$  is the time in seconds since Sam started bouncing and  $k \in \mathbb{R}$ .

- a. State the maximum height reached by Sam in metres. (1 mark)

---



---

- b. State Sam's average height above the ground when he is bouncing. (1 mark)

---



---

- c. Given that Sam starts on ground level and has to press down on the trampoline to start his bounce, meaning that the graph of  $y = h(t)$  must fall below the  $t$ -axis immediately after  $t = 0$ , find a possible value of  $k$  if  $0 < k < 4$ . Give your answer correct to 2 decimal places. (3 marks)

---



---



---



---



---



---


- d. Hence, state an expression that gives all possible values of  $k$ . Give non-exact values correct to 2 decimal places. (1 mark)

---



---

- e. Sketch one of Sam's bounces on the axes below, labelling axes intercepts and turning points with their coordinates. Give all non-exact values to 2 decimal places. (3 marks)



**Question 23** (11 marks)

The water level on a beach rises and falls according to the function:

$$w(t) = 3 \sin\left(\frac{\pi t}{6}\right) + 4$$

where  $w$  is the water level in metres and  $t$  is the time in hours after midnight.

The ocean conceals the entrance to a secret underwater cave which contains the secret to getting a raw 50 in Methods. The entrance to the cave is only accessible when the water level is below 1.5  $m$ .

- a. State the amplitude, period and average tide height. (2 marks)

---

---

---

- b. Find the times in the day when the water level is exactly 1.5  $m$ , correct to the nearest minute. (3 marks)

---

---

---

---

---

---

---

- c. Hence, determine the total amount of time in a day that the cave is accessible, correct to the nearest minute. (2 marks)

---

---

---

---

---

- d. An optimal time to enter the cave is when the water level hits  $1.5\text{ m}$  and continues falling.

- i. State the first optimal time in a day, correct to the nearest minute. (1 mark)

---

---

- ii. A daring student knows that they need 130 minutes to be able to retrieve the secret to getting a 50 from the cave. Given that they enter at an optimal time, determine whether they have enough time, and state how much time they have to spare/how much more time they would require, correct to the nearest second. (3 marks)

---

---

---

---

---

---

Space for Personal Notes



## VCE Mathematical Methods ½

# Free 1-on-1 Support



### Be Sure to Make The Most of These (Free) Services!

- Experienced Contour tutors (45+ raw scores, 99+ ATARs).
- For fully enrolled Contour students with up-to-date fees.
- After school weekdays and all-day weekends.

| <u>1-on-1 Video Consults</u>   | <u>Text-Based Support</u>   |
|--|---|
| <ul style="list-style-type: none"><li>➤ Book via <a href="https://bit.ly/contour-methods-consult-2025">bit.ly/contour-methods-consult-2025</a> (or QR code below).</li><li>➤ One active booking at a time (must attend before booking the next).</li></ul> | <ul style="list-style-type: none"><li>➤ Message <a href="tel:+61440138726">+61 440 138 726</a> with questions.</li><li>➤ Save the contact as "Contour Methods".</li></ul> |

[Booking Link for Consults](https://bit.ly/contour-methods-consult-2025)  
[bit.ly/contour-methods-consult-2025](https://bit.ly/contour-methods-consult-2025)



[Number for Text-Based Support](tel:+61440138726)  
[+61 440 138 726](tel:+61440138726)