

2008

VCE Further Mathematics Trial Examination 2

Suggested Solutions

© Kilbaha Multimedia Publishing 2008



Kilbaha Multimedia Publishing ABN 47 065 111 373
PO Box 2227
Kew Vic 3101
Australia
Tel: (03) 9817 5374
Fax: (03) 9817 4334
kilbaha@gmail.com
<http://kilbaha.googlepages.com>

IMPORTANT COPYRIGHT NOTICE

- This material is copyright. Subject to statutory exception and to the provisions of the relevant collective licensing agreements, no reproduction of any part may take place without the written permission of Kilbaha Multimedia Publishing.
- The contents of this work are copyrighted. Unauthorised copying of any part of this work is illegal and detrimental to the interests of the author.
- For authorised copying within Australia please check that your institution has a licence from **Copyright Agency Limited**. This permits the copying of small parts of the material, in limited quantities, within the conditions set out in the licence.

Reproduction and communication for educational purposes The Australian Copyright Act 1968 (the Act) allows a maximum of one chapter or 10% of the pages of this work, to be reproduced and/or communicated by any educational institution for its educational purposes provided that educational institution (or the body that administers it) has given a remuneration notice to Copyright Agency Limited (CAL) under the Act.

For details of the CAL licence for educational institutions contact
CAL, Level 15, 233 Castlereagh Street, Sydney, NSW, 2000
Tel: (02) 9394 7600
Fax: (02) 9394 7601
Email: info@copyright.com.au

- Teachers and students are reminded that for the purposes of school requirements and external assessments, students must submit work that is clearly their own.
 - Schools which purchase a licence to use this material may distribute this electronic file to the students at the school for their exclusive use. This distribution can be done either on an Intranet Server or on media for the use on stand-alone computers.
 - Schools which purchase a licence to use this material may distribute this printed file to the students at the school for their exclusive use.
-
- **The Word file is for use ONLY within the school**
 - **It may be modified to suit the school syllabus and for teaching purposes.**
 - **All modified versions of the file must carry this copyright notice**
 - **Commercial use of this material is expressly prohibited**

Core**Question 1 a.**

For T183 calculator enter data in stat edit in column L_1 . Go to stat calc, 1-var stats and enter L_1 . This gives mean = 6.1 and standard deviation = 1.6

Mean = 6.1, Standard Deviation = 1.6

(1 mark) for each correct value

b.(i)

6 is two standard deviations above the mean.
This student is in the top 2.5% of Australian students for artistic ability.

(1 mark)

b.(ii)

$$Z = \frac{x - 4}{1} < -2$$

$$x - 4 < -2$$

$$x < 2$$

Since no student in the sample got a score of less than 2 then no student in the sample was in the lowest 2.5% for artistic ability.

(1 mark)

c.(i)


Dependent Variable: Mathematical Ability

Independent Variable: Year level

(1 mark)

c.(ii)

For T183 calculator enter data in stat edit in column L_2 . Go to 2nd stat plot and ensure all plots are off. Then, 2nd stat plot enter on, box plot, 2nd L_2 . Graph. Use the trace to find Min = 4, LQ = 6, Med = 7.5, UQ = 9, Max = 10




(1 mark)

Core**c.(iii)**

Year 10 students on the whole have better mathematical ability than year 9 students. The lowest year 10 mark is equal to the year 9 lower quartile and 75% of year 10 students score a mark greater than the year 9 upper quartile.

(1 mark)

Question 2 a. & c.

(1 mark) for least squares regression line and (1 mark) for required point.

2 b. For T183 calculator enter year 10 language ability data in stat edit in column L_3. Go to stat calc linear regression ($ax+b$) L_2, L_3 This gives $Language\ Ability = 0.4 \times Mathematical\ Ability + 3.8$ (1 mark)	2 d. Using the same calculator screen as for 2b. $r^2 = 0.1198 = 12\%$ to the nearest whole number (1 mark)
2 e. 12% of the variation in English ability can be explained by the variation in mathematical ability. (1 mark)	2 f. $residual = data\ value - predicted\ value$ $residual = 3 - 6.2 = -3.2$ (1 mark)
2 g. $x_L = 5, y_L = 7, x_U = 10, y_U = 9$ $m = \frac{9-7}{10-5} = 0.4$ $y = 0.4x + c$ When $x = 5, y = 7$ $7 = 0.4 \times 5 + c$ $7 = 2 + c$ $c = 5$ $Language\ ability = 0.4 \times mathematical\ ability + 5$	

(1 mark)

Module 1 Number patterns and applications

Question 1 a. $7 \times 1 = 7 \text{ cm}^2$ (1 mark)	b. Length = $4 + 6 \times 3 = 22$ Area = $22 \times 1 = 22 \text{ cm}^2$ (1 mark)
c. Areas = 4, 7, 10... This is an arithmetic sequence $S_n = \frac{n}{2}[2a + (n-1)d]$ $S_{20} = \frac{20}{2}[2 \times 4 + 19 \times 3]$ $S_{20} = 650 \text{ cm}^2$ (1 mark)	d. Use T1-83 graphics calculator in sequence mode. $y =$ enter $nMin = 1$ $\mu_n = 4 + (n-1) \times 3$ $\mu(nMin) = 4$ Press 2nd table Scroll down till the value is 79, the question asks how many times would it increase This occurs one less than the value of n given in the table, so $n = 25$ (1 mark)
Question 2 a. $A = 9 \times 1.2 = 10.8 \text{ cm}^2$ (1 mark)	b. Use graphics calculator in sequence mode. $y =$ enter $nMin = 1$ $\mu_n = 9 \times (1.2)^{n-1}$ $\mu(nMin) = 9$ Press 2nd table The 5th press of the button will correspond with $n=6$ $\mu_n = 22.4$ to one decimal place (1 mark)

Module 1 Number patterns and applications**Question 2 c.**

Use graphics calculator in sequence mode.

$y =$

enter

$nMin = 1$

$$\mu_n = 9 \times (0.4)^{n-1}$$

$$\mu(nMin) = 9$$

Press 2nd table

When $n = 7$, $\mu_n = 0.03686$

$n = 7$ corresponds to 6 presses of the button

(1 mark)

Question 3 a.

$$t_1 = t_3 - t_2$$

$$t_3 = t_1 + t_2 = 400 + 700 = 1100 \text{ m}$$

(1 mark)

b.

Sequence is 400, 700, 1100

$$\frac{700}{400} \neq \frac{1100}{700}$$

$\therefore$ not geometric sequence.

(1 mark)

c.

$$t_4 = 1100 + 700 = 1800$$

$$t_5 = 1800 + 1100 = 2900$$

$$t_6 = 2900 + 1800 = 4700 \text{ m.}$$

(1 mark)

d.

Use graphics calculator in sequence mode.

$y =$

enter

$nMin = 1$

$$\mu(n) = \mu(n-2) + \mu(n-1)$$

$$\mu(nMin) = \{700, 400\}$$

Press 2nd table and look for 357100 in the $\mu(n)$ column

This corresponds to $n = 15$

(1 mark)

e.

Using the same screen as for the previous question

$$t_{11} = 52100$$

$$t_{10} = 32200$$

$$\text{Distance between these stops} = t_{11} - t_{10}$$


$$= 52100 - 32200 = 19900 \text{ m.}$$

(1 mark)


Module 1 Number patterns and applications

Question 4 a. $S_3 = 4^3 - 1 = 63$ (1 mark)	b. $S_1 = 4 - 1 = 3$ $S_2 = 4^2 - 1 = 15$ $S_3 = 4^3 - 1 = 63$ $t_1 = 3$ $t_2 = 15 - 3 = 12$ $t_3 = 63 - 15 = 48$ Distance run on each of first 3 days is 3,12,48 (1 mark)
c. 3, 12, 48... forms a geometric sequence because it has a common ratio of 4 (1 mark)	


Module 2 Geometry and trigonometry

Question 1 a. Isosceles triangles have base angles equal. Sum of angles of a triangle = 180° $\angle ABC = 180 - 2 \times 51.5 = 77^\circ$ (1 mark)	b. In triangle BCX , $\angle BCX = 51.5^\circ$, $BC = 230$ $\cos 51.5^\circ = \frac{CX}{230}$ $CX = 230 \cos 51.5^\circ = 143.1784$ $AC = 2 \times CX = 2 \times 143.1784 = 286.36 \text{ cm}$ (1 mark)
c. In triangle BCX , $\sin 51.5^\circ = \frac{BX}{230}$ $BX = 230 \sin 51.5^\circ = 180 \text{ cm.}$ (1 mark)	d. CF is 2.5 times larger than AC $CF = 2.5 \times 286.36 = 716 \text{ cm}$ (1 mark)
e. Area of $ACFD = AC \times CF$ $= 286.36 \div 100 \times 715.9 \div 100 = 21 \text{ m}^2$ (1 mark)	Question 2 a.  $\sin 50^\circ = \frac{CY}{350}$ $CY = 350 \sin 50^\circ = 268.12$ $CY + BX = 268 + 180 = 448 \text{ cm.}$ (1 mark)

Module 2 Geometry and trigonometry

Question 2 (continued) b. $V = \text{Area of triangular base} \times \text{height}$ $V = \text{Area of triangular } ABC \times CF$ $V = \frac{1}{2} \times 286.36 \div 100 \times 180 \div 100 \times 715.9 \div 100$ $V = 18 \text{ m}^3$ (1 mark)	Question 3 a. $OC = \text{radius of sphere} = \frac{1}{2} \times AB$ $OC = \frac{1}{2} \times 130 = 65 \text{ mm}$ (1 mark)
b. $SA = \frac{1}{2} \times 4\pi r^2 + \pi r^2$ $SA = 3\pi r^2$ $SA = 3\pi \times 65 \div 10 \times 65 \div 10$ $SA = 398 \text{ cm}^2$ (1 mark)	c.  Using Pythagoras rule or knowing your triads $OQ = 25$ $OQ = 25$ $OC = 65$ $QC = 65 - 25 = 40 \text{ mm}$ (1 mark)
Question 4 a. The triangles are similar because 3 angles of triangle ABD equal three angles of triangle BCD. $\angle CBD = \angle EFD$, so $\angle BAC = \angle CBD$ $\angle BDC$ is common So the remaining angles of the triangles are equal. (1 mark)	b. Because the triangles are similar, then their corresponding sides are in the same ratio. $\frac{CD}{BD} = \frac{BD}{AD}$ $BD^2 = CD \times AD$ $BD^2 = 5 \times 20 = 100$ $BD = 10 \text{ cm}$ (1 mark)
c. $\frac{AB}{BC} = \frac{AD}{BD}$ $\frac{AB}{7} = \frac{20}{10}$ $AB = 14 \text{ cm}$ (1 mark)	

Module 3 Graphs and relations

Question 1 a. 6 km. (1 mark)	b. Fastest speed is steepest gradient so A (1 mark)
c. $\text{speed} = \frac{\text{distance}}{\text{time}} = \frac{6}{\frac{1}{4}} = 24 \text{ km/hr}$ (1 mark)	
Question 2 a. $C = 69 + 2x$ (1 mark)	b. $I = 5x$ (1 mark)
c. $69 + 2x = 5x$ $69 = 3x$ $x = 23$ (1 mark)	d. $P = 5x - 69 - 2x$ $P = 3x - 69$ If $x = 30$ $P = 90 - 69 = \$21$ (1 mark)
Question 3 a. $x \geq 10$ $y \geq 10$ (1 mark)	b. $x \geq 2y$ or $y \leq \frac{1}{2}x$ (1 mark)
c. $C = 20x + 10y$ (1 mark)	d. $20x + 10y \leq 600$ $2x + y \leq 60$ (1 mark)
e.  (1 mark)	

Module 3 Graphs and relations

Question 3 (continued)

f. Number of prizes = $x + y$ Points of intersection $y = 10$ and $y = \frac{1}{2}x$ (20,10) No. prizes = 30 $y = 10$ and $2x + y = 60$ (25,10) No. prizes = 35 $y = \frac{1}{2}x$ and $2x + y = 60$ $2\frac{1}{2}x = 60$ $x = 24$ (24,12) No. prizes = 36 Maximum number of prizes = 36 (1 mark) for realizing number of prizes is $x + y$ and (1 mark) for correct answer)	g. $C = 20x + 10y$ $C = 20 \times 24 + 10 \times 12 = \\600 (1 mark)
---	---



Module 4 Business-related mathematics

Question 1 a. Profit = $302 - 234 = 68$ % Profit = $\frac{68}{234} \times 100 = 29.1\%$ (1 mark)	b. $85\% \equiv 1200$ $1\% \equiv \frac{1200}{85}$ $100\% \equiv \frac{1200}{85} \times 100 = \1412 (1 mark)
c. (i) Amount paid = $300 + 70 \times 24 = \$1980$ (1 mark)	c.(ii) Interest = $1980 - 1200 = \$780$ (1 mark)
c.(iii) $R = \frac{100I}{PT} = \frac{100 \times 780}{900 \times 2} = 43.33\%$ (1 mark)	Question 2 a.(i) $I = \frac{PRT}{100} = \frac{28000 \times 8.5 \times 0.5}{100} = \1190 (1 mark)

Module 4 Business-related mathematics**Question 2 (continued)**

a.(ii) Amount repaid = $620 \times 6 = 3720$ (1 mark) Amount repaid off principal = $3720 - 1190$ Amount repaid off principal = 2530 Amount owing = $28000 - 2530 = \\$25,470$ (1 mark)	b.(i) Use graphics calculator Press Apps Finance Enter TVM Solver Enter $N = 6$ $I = 8.5$ $PV = 28000$ $PMT = -620$ $FV =$ $P / Y = 12$ $C / Y = 12$ End Put cursor on FV and press alpha solve. $FV = \\$25,424.77$ (1 mark)
b.(ii) Amount paid over 6 months = $620 \times 6 = 3720$ Amount paid off principal = $PV - FV$ Amount paid off principal = $28000 - 25424.77$ Amount paid off principal = 2575.23 (1 mark) Amount paid in interest = $3720 - 2575.23$ Amount paid in interest = \$1,144.77 (1 mark)	b.(iii) Use graphics calculator Press Apps Finance Enter TVM Solver Enter $N = 96$ $I = 8.5$ $PV = 28000$ $PMT =$ $FV = 0$ $P / Y = 12$ $C / Y = 12$ End Put cursor on PMT and press alpha solve. $PMT = \\$402.98$ (1 mark)
Question 3 a. (i) Depreciation per annum = $\frac{11}{100} \times 60000 = 6600$ Depreciation over 6 years = $6600 \times 6 = 39600$ $BV = 60000 - 39600 = \\$20,400$ (1 mark)	a. ii. $BV = 60000(1 - 0.09)^6 = \\$34,072.16$ (1 mark)
b. Depreciation = $60000 - 24000 = 36000$ $2.4 \times$ number of patients = 36000 (1 mark) number of patients = $\frac{36000}{2.4} = 15,000$	

Module 5 Networks and decision mathematics

Question 1 a. <i>To</i> <i>A B C D</i> <i>From</i> $A \begin{bmatrix} 0 & 1 & 0 & 1 \\ 0 & 0 & 2 & 0 \\ 0 & 0 & 0 & 1 \\ 0 & 1 & 0 & 1 \end{bmatrix}$ (1 mark)	b.(i) 2 (1 mark)
b.(ii) The number of roads leaving A (1 mark)	c. The number of roads coming into D (1 mark)
Question 2 a. It is possible to drive along each road once and visit each site if you start at Botanical Gardens and finish at Daffodil display, or vice versa B-A-B-C-D-E-F-G-D is one possible route. (1 mark)	b. $6+9+3+4+2+6+8+7=45$ km. (1 mark)
c.  A-B-C-D-E-F-G $6+3+4+2+6+8=29$ km. (1 mark)	Question 3 a.  (1 mark)
b. The critical path is the longest path. C-D-F-I. (1 mark)	c. $17+19+18+22=76$ days (1 mark)
d. $17+19-23=13$ days (1 mark)	e. 0 days, because F is on the critical path. (1 mark)
Question 3 f. CDFI are still on the critical path. Cost to reduce time for C = \$1,200 Cost to reduce time for D = \$900 Cost to reduce time for F = \$800 Cost to reduce time for I = \$4,000 Total cost of reduction = \$6,900 Number of days saved = $1+1+2+4=8$ Cost of 8 days = \$40,000 Amount saved = $40,000-6,900=\\$33,100$ (1 mark)	g. There is now a new critical path. A-E-I. $15+31+22=68$ days. (1 mark)

Module 6 Matrices

Question 1 a. Cotton Silk Denim $M = \begin{matrix} X \\ Y \\ Z \end{matrix} \begin{bmatrix} 80 & 10 & 100 \\ 40 & 5 & 150 \\ 60 & 3 & 200 \end{bmatrix}$ (1 mark)	b. $A = \begin{bmatrix} 100 + 240 + 80 \\ 150 + 80 + 10 \\ 120 + 360 + 100 \end{bmatrix} = \begin{bmatrix} 420 \\ 240 \\ 580 \end{bmatrix}$ (1 mark)
c. 3×1 (1 mark)	d. 100+240+80 = 420 150+80+10 = 240 120+360+100 = 580 250+120+40 = 410 164+60+5 = 229 80+280+150 = 510 160+175+60 = 395 260+70+3 = 333 75+200+200=475
e. Cotton Silk Denim $C = \begin{bmatrix} 35 \\ 70 \\ 20 \end{bmatrix}$ (1 mark)	X Y Z $A = \begin{matrix} \text{Cotton} \\ \text{Silk} \\ \text{Denim} \end{matrix} \begin{bmatrix} 420 & 410 & 395 \\ 240 & 229 & 333 \\ 580 & 510 & 475 \end{bmatrix}$ (1 mark)
f. Cotton Silk Denim $P = \begin{matrix} X \\ Y \\ Z \end{matrix} \begin{bmatrix} 420 & 240 & 580 \\ 410 & 229 & 510 \\ 395 & 333 & 475 \end{bmatrix}$ (1 mark)	g. Use graphics calculator to get $Q = \begin{bmatrix} 420 & 240 & 580 \\ 410 & 229 & 510 \\ 395 & 333 & 475 \end{bmatrix} \times \begin{bmatrix} 35 \\ 70 \\ 20 \end{bmatrix} = \begin{matrix} X \\ Y \\ Z \end{matrix} \begin{bmatrix} 43100 \\ 40580 \\ 46635 \end{bmatrix}$ (1 mark)
h. 156000 – 40580 = \$115,420 (1 mark)	

Module 6 Matrices

Question 2 a. Today W NR Tomorrow $\begin{matrix} W \\ NR \end{matrix} \begin{bmatrix} 0.7 & 0.6 \\ 0.3 & 0.4 \end{bmatrix}$ (1 mark)	b. $S_0 = \begin{bmatrix} 60 \\ 20 \end{bmatrix}$ (1 mark)
c. $S_1 = \begin{bmatrix} 0.7 & 0.6 \\ 0.3 & 0.4 \end{bmatrix} \begin{bmatrix} 60 \\ 20 \end{bmatrix} = \begin{bmatrix} 54 \\ 26 \end{bmatrix}$ 54 are working and 26 need repair. (1 mark)	d. $S_{30} = T^{30} S_0$ $S_{30} = \begin{bmatrix} 0.7 & 0.6 \\ 0.3 & 0.4 \end{bmatrix}^{30} \begin{bmatrix} 60 \\ 20 \end{bmatrix} = \begin{bmatrix} 53 \\ 27 \end{bmatrix}$ In the long term Rex can expect 53 of the Orange computers to be working. (1 mark)
e. $S_2 = \begin{bmatrix} 0.8 & 0.5 \\ 0.2 & 0.5 \end{bmatrix}^2 \begin{bmatrix} 70 \\ 10 \end{bmatrix} = \begin{bmatrix} 58 \\ 22 \end{bmatrix}$ (1 mark)	f. $S_{30} = T^{30} S_0$ $S_{30} = \begin{bmatrix} 0.8 & 0.5 \\ 0.2 & 0.5 \end{bmatrix}^{30} \begin{bmatrix} 70 \\ 10 \end{bmatrix} = \begin{bmatrix} 57 \\ 23 \end{bmatrix}$ He should buy more of the Lemon brand because in the long term 57 out of 80 would be expected to be working whereas only 53 of the Orange computers would be expected to be working. (1 mark)

End of suggested solutions 2008 Further Mathematics VCE Trial Examination 2

Kilbaha Multimedia Publishing PO Box 2227 Kew Vic 3101 Australia	Tel: (03) 9817 5374 Fax: (03) 9817 4334 kilbaha@gmail.com http://kilbaha.googlepages.com
--	--