

SACRED HEART GIRLS' COLLEGE

OAKLEIGH



Mathematical Methods CAS 2014

Unit 3 SAC 1: TEST

Part A

Name: SOLUTIONS (SMITH)

Teacher (please circle): Ms Gates

Mr Smith

Ms Garkel

No CAS and no summary notes permitted

Part A: 3 short answer questions

Writing Time: 20 minutes

Marks: 15

SHORT ANSWER QUESTIONS

Instructions:

Answer **all** questions in the spaces provided.

In all questions where a numerical answer is required an exact value must be given unless otherwise specified.

In questions where more than one mark is available, appropriate working **must** be shown.

Unless otherwise indicated, the diagrams in this test are **not** drawn to scale.

Question 1 (7 marks)

Consider the function $f: D \rightarrow R, f(x) = 3 - \sqrt{2x+4}$, where D is the maximal domain of f .

a) Find D .

1 mark

$$2x+4 \geq 0$$

$$D = [-2, \infty)$$

$$x \geq -2$$

b) Describe the transformations which when applied to the graph of $y = \sqrt{x}$, produce the graph of $y = f(x)$.

2 marks

$$f(x) = 3 - \sqrt{2(x+2)} = -\sqrt{\frac{x}{\frac{1}{2}} + 4} + 3$$

- DILATION of factor $\frac{1}{2}$ from y-axis } either order
- REFLECTION in x-axis

- TRANSLATION 2 units left } either order
- " 3 units up

(Deduct 1 for incorrect order; give 1 for correct order with any 2 correct).

c) Find the rule for f^{-1} , the inverse of f .

2 marks

INVERSE

$$x = 3 - \sqrt{2y+4}$$

also accept

$$(x-3)^2 = (-\sqrt{2y+4})^2$$

$$f^{-1}(x) = \frac{1}{2}(3-x)^2 - 2$$

$$(x-3)^2 = 2y+4$$

if $(x-3)^2$ expanded

$$y = \frac{1}{2}(x-3)^2 - 2$$

$$f^{-1}(x) = \frac{1}{2}(x^2 - 6x + 5)$$

$$f^{-1}(x) = \frac{1}{2}(x-3)^2 - 2$$

d) Show that the values of x for which $f(x) = x$ and hence the values of x

for which $f(x) = f^{-1}(x)$ are $x = 4 \pm \sqrt{11}$.

2 marks

$f(x) = x$	$x = \frac{8 \pm \sqrt{64 - 4 \times 1 \times 5}}{2}$
$3 - \sqrt{2x+4} = x$	
$3 - x = \sqrt{2x+4}$	$x = \frac{8 \pm \sqrt{44}}{2}$
$(3-x)^2 = 2x+4$	
$9 - 6x + x^2 = 2x + 4$	$= \frac{8 \pm 2\sqrt{11}}{2}$
$x^2 - 8x + 5 = 0$	
	$= 4 \pm \sqrt{11}$

Question 2 (4 marks)

For $f(x) = \sqrt{x+3} - 1$ and $g(x) = |x| + 2$

a) Find the rule for $g(f(x))$.


1 mark

$g(f(x)) = |\sqrt{x+3} - 1| + 2$

b) Write the rule for $g(f(x))$ as a hybrid function and state the domain.

3 marks

$$g(f(x)) = \begin{cases} +(\sqrt{x+3} - 1) + 2, & x \geq -2 \\ -(\sqrt{x+3} - 1) + 2, & -3 \leq x < -2 \end{cases}$$



$$= \begin{cases} \sqrt{x+3} + 1, & x \geq -2 \\ -\sqrt{x+3} + 3, & -3 \leq x < -2 \end{cases}$$

1 for each rule, 1 for domain

(also, in this case, accepted dom = $[-3, \infty)$)

Question 3 (4 marks)

- a) For the function $(x) = \frac{x+3}{x+2}$, write the function in the form $f(x) = a + \frac{b}{x+2}$. 2 marks

$$\begin{array}{r} \frac{1}{x+2} \overline{) x+3} \\ \underline{-(x+2)} \\ 1 \end{array}$$

OR

$$f(x) = 1 + \frac{1}{x+2}$$

$$\begin{aligned} f(x) &= \frac{x+2}{x+2} + \frac{1}{x+2} \\ &= 1 + \frac{1}{x+2} \end{aligned}$$

- b) Hence, find $g(x)$ if $g(x) = f^{-1}(x)$. 2 marks

INVERSE

$$x = 1 + \frac{1}{y+2}$$

$$x-1 = \frac{1}{y+2}$$

$$\begin{aligned} (x-1)(y+2) &= 1 \\ y+2 &= \frac{1}{x-1} \end{aligned}$$

$$y = \frac{1}{x-1} - 2$$

$$g(x) \text{ or } f^{-1}(x) = \frac{1}{x-1} - 2$$

(in this case did not penalise for not giving answer in function notation with domain. Not just asked for 'the rule')

END OF QUESTION AND ANSWER BOOKLET