

Trial Examination 2019

VCE Mathematical Methods Units 3&4

Written Examination 1

Question and Answer Booklet

Reading time: 15 minutes

Writing time: 1 hour

Student's Name: _____

Teacher's Name: _____

Structure of booklet

<i>Number of questions</i>	<i>Number of questions to be answered</i>	<i>Number of marks</i>
8	8	40

Students are permitted to bring into the examination room: pens, pencils, highlighters, erasers, sharpeners and rulers.

Students are NOT permitted to bring into the examination room: any technology (calculators or software), notes of any kind, blank sheets of paper and/or correction fluid/tape.

Materials supplied

Question and answer booklet of 9 pages

Formula sheet

Working space is provided throughout the booklet.

Instructions

Write your **name** and your **teacher's name** in the space provided above on this page.

Unless otherwise indicated, the diagrams in this booklet are **not** drawn to scale.

All written responses must be in English.

At the end of the examination

You may keep the formula sheet.

Students are NOT permitted to bring mobile phones and/or any other unauthorised electronic devices into the examination room.

Students are advised that this is a trial examination only and cannot in any way guarantee the content or the format of the 2019 VCE Mathematical Methods Units 3&4 Written Examination 1.

Neap Trial Exams are licensed to be photocopied or placed on the school intranet and used only within the confines of the school purchasing them, for the purpose of examining that school's students only. They may not be otherwise reproduced or distributed. The copyright of Neap Trial Exams remains with Neap. No Neap Trial Exam or any part thereof is to be issued or passed on by any person to any party inclusive of other schools, non-practising teachers, coaching colleges, tutors, parents, students, publishing agencies or websites without the express written consent of Neap.

Instructions

Answer **all** questions in the spaces provided.

In all questions where a numerical answer is required, an exact value must be given, unless otherwise specified.

In questions where more than one mark is available, appropriate working **must** be shown.

Unless otherwise indicated, the diagrams in this booklet are **not** drawn to scale.

Question 1 (4 marks)

a. Let $y = (3\log_e(x))^2$.

Find $\frac{dy}{dx}$.

1 mark

b. Let $f(x) = \frac{\cos(3x)}{x^2}$.

Find $f'\left(\frac{2\pi}{3}\right)$.

3 marks

Question 2 (4 marks)

Let $f'(x) = 1 + \frac{2}{e^x}$.

- a. Given $f(0) = 4$, find the rule for $f(x)$.

2 marks

- b. Find the equation of the tangent to $y = f(x)$ at the y-intercept.

2 marks

Question 3 (2 marks)

Solve $\tan^2(2x) - 1 = 0$ for x , where $x \in [0, \pi]$.

Question 4 (5 marks)

- a.** Solve the equation $5 - 2\log_e(x) = \log_e(\sqrt{x})$ for x .

2 marks

- b.** Find the value(s) of k for which the equation $5^x = 125^{k-x^2}$ has no solutions for x .


3 marks

Question 5 (6 marks)

Let $f: (-2, 4] \rightarrow \mathbb{R}$, $f(x) = \sqrt{4-x} - 1$.

- a. Sketch the graph of $y = f(x)$ on the axes below. Label the axis intercepts and endpoints with their coordinates.

3 marks



- b. Find the area bounded by the graph of $y = f(x)$, the x -axis and the y -axis.

3 marks

Question 6 (7 marks)

Let X be a continuous random variable with the probability density function

$$f(x) = \begin{cases} kx^2(1-x) & 0 \leq x \leq 1 \\ 0 & \text{elsewhere} \end{cases}$$

- a.** Show that $k = 12$.

2 marks

- b.** Find the mean of X .

2 marks

- c.** Let Y be a continuous random variable with the probability density function


$$g(x) = \begin{cases} qx^2(p-x) & 0 \leq x \leq p \\ 0 & \text{elsewhere} \end{cases}$$

Given that $p, q > 0$ and the mean of Y is equal to $\frac{3}{10}$, find the value of p and q .

3 marks

Question 8 (7 marks)

The graph of the general hyperbola $f(x) = \frac{k}{x}$, where $k > 0$, is shown below. The point A is located on the graph with coordinates $\left(a, \frac{k}{a}\right)$, where $a > 0$.



The transformation defined by $T: R^2 \rightarrow R^2$, $T\left(\begin{bmatrix} x \\ y \end{bmatrix}\right) = \begin{bmatrix} -1 & 0 \\ 0 & -1 \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix}$ is applied to the point A to create an image point A' .

- a. State the coordinates of A' and plot its coordinates relative to A on the graph above. 1 mark

- b. Show that the distance between the points A and A' can be expressed as $\frac{2\sqrt{a^4 + k^2}}{a}$. 2 marks
