

STAV ***Publishing*** **2002**

CHEMISTRY **Unit 1 Trial Examination** **SOLUTIONS BOOK**

Published by STAV Publishing Pty Ltd. STAV House, 5 Munro Street, Coburg VIC 3058 Australia.
Phone: 61 + 3 9385 3999 Fax: 61 + 3 9386 6722 E-mail: stav@stav.vic.edu.au Website: <http://www.stav.vic.edu.au>
© STAV Publishing Pty Ltd 2002
ABN 51 007 165 611

All rights reserved. Except under the conditions described in the Copyright Act 1968 of Australia and subsequent amendments, no part of this publication may be reprinted, reproduced or utilised in any form or by any electronic, mechanical, or other means, now known or hereafter invented, including photocopying and recording, or in any other information storage or retrieval system, without permission in writing from the publisher.

JUNE 2002

Use this page as an overlay for marking the multiple choice answer sheets. Simply photocopy the page onto an overhead projector sheet. The correct answers are open boxes below. Students should have marked their answers with a cross. Therefore, any open box with a cross inside it is correct and scores 1 mark.

1.		B	C	D
2.	A	B		D
3.	A	B	C	
4.		B	C	D
5.	A		C	D
6.	A		C	D
7.	A	B		D
8.	A		C	D
9.	A	B	C	
10.	A	B		D

11.	A	B		D
12.	A	B	C	
13.	A		C	D
14.	A		C	D
15.		B	C	D
16.	A	B		D
17.	A	B		D
18.	A	B		D
19.	A	B		D
20.		B	C	D

SECTION A

1.	A	2.	C	3.	D	4.	A	5.	B
6.	B	7.	C	8.	B	9.	D	10.	C
11.	C	12.	D	13.	B	14.	B	15.	A
16.	C	17.	C	18.	C	19.	C	20.	A

SECTION B**Question 1**


(a) C & D (1 mark each)

(b) B & E (1 mark each)


(c) C & F (1 mark each)

Question 2a


NH_3 triangular pyramid (1 mark)
or trigonal pyramid




CO_2 linear (1 mark)



SiH_4 tetrahedral (1 mark)



OF_2 angular or v-shaped (1 mark)



(b)

NH ₃	polar	polar bonds, lack of symmetry (1 mark)
CO ₂	non-polar	polar bonds but symmetrical (1 mark)
SiH ₄	non-polar	weak polar bonds but the molecule is symmetrical (1 mark)
OF ₂	polar	polar bonds, lack of symmetry (1 mark)

Question 3

(a) $2\text{C}_8\text{H}_{18}(\text{l}) + 25\text{O}_2(\text{g}) \rightarrow 16\text{CO}_2(\text{g}) + 18\text{H}_2\text{O}(\text{g})$ (1 mark) correct formulae
(1 mark) balanced


(b) $2\text{Mg}(\text{s}) + \text{O}_2(\text{g}) \rightarrow 2\text{MgO}(\text{s})$ (1 mark) correct formulae
(1 mark) balanced

(c) $\text{Ba}(\text{NO}_3)_2(\text{aq}) + \text{Na}_2\text{SO}_4(\text{aq}) \rightarrow \text{BaSO}_4(\text{s}) + 2\text{NaNO}_3(\text{aq})$
or accept the ionic version (1 mark) correct formulae
 $\text{Ba}^{2+}(\text{aq}) + \text{SO}_4^{2-}(\text{aq}) \rightarrow \text{BaSO}_4(\text{s})$ (1 mark) balanced

Question 4

(a) $\text{KCl}(\text{s}) \xrightarrow{\text{H}_2\text{O}} \text{K}^+(\text{aq}) + \text{Cl}^-(\text{aq})$ (1 mark)

(b)



(Note only two of a number of nearest neighbour water molecules are shown)
(1 mark) correct diagram & (1 mark) correct orientation of dipoles

(c) ion-dipole bonds (1 mark)

Question 5

(a) (i) 1.85 g (1 mark) (ii) 1.25 g (1 mark)

(b) The teenager should have purchased pHexzone. (1 mark)

pHexzone 2.59 mg per cent, Removderm 1.98 mg per cent by calculation (1 mark)

or alternatively pHexzone \$3.85 per gram and Removderm \$5.06 per gram

Question 6


- (a) Isomers have the same molecular formula but a different structure (1 mark)
- (b) $\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_2\text{OH}$ (1 mark) 1-butanol or butan-1-ol or 1-hydroxy butane (1 mark)
- $\text{CH}_3\text{CH}_2\text{CH}(\text{OH})\text{CH}_3$ (1 mark) 2-butanol or butan-2-ol or 2-hydroxy butane (1 mark)
- (c) alcohol homologous series (1 mark)

Question 7

- (a) pentane (1 mark) (b) propanoic acid (1 mark)
- (c) propene (1 mark) (d) 2-chloropentane (1 mark)

Question 8


- (a) C_2H_4 (1 mark)
- (b) Gas at room temp, colourless, insoluble in water (any two for 1 mark)
- (c) An unsaturated compound contains at least one C to C multiple bond. (1 mark)
- (d)



(1 mark)

- (e) (i) Addition polymerization (1 mark)

(ii)



(1 mark)

- (f) HDPE (high density polyethene) has a higher melting point than LDPE (low density polyethene) as the polymer chains have much less branching (1 mark) and therefore can approach each other more easily and maximise dispersion forces (1 mark) within a given volume.

Question 9

- (a) An emulsion consists of one liquid suspended in droplet form in another liquid.
(1 mark)
- (b) Ice cream is an oil in water (O/W) emulsion (1 mark) ie. oil droplets suspended in a water medium.

Margarine is a water in oil (W/O) emulsion (1 mark) ie. water droplets suspended in an oil medium.

- c) Emulsifiers contain both a hydrophilic or water-attracting head (polar or ionic) (1 mark) and a hydrophobic tail (non-polar) (1 mark) which is attracted to other non-polar molecules.

END OF SUGGESTED SOLUTIONS